

COMMERCIAL CARDIO CATALOGUE=2025

COSCO (India) Limited

ProductRange:

Sporting Goods, Fitness Equipments

COSCO is a leading Sports & Fitness Products Company in India since 1980 and Exports to many Countries Worldwide. COSCO represents many top Brands like : TRETORN (Sweden), STIGA (Sweden), Newgy (USA), JKEXER (Taiwan), Fitlux (Taiwan), JK Fitness (Taiwan) ADIDAS, REEBOK, IMPULSE (U.K) for Indian Market.

Head Office : 2/8 Roop Nagar, Delhi-110007 (INDIA)

Work Area : Factory Area-200,000+ sq. ft. in Gurugram, Haryana

Work Force : Team of Management, Sales, Service and workers of 700+

Marketing & Service : The Company has a full-fledged Marketing Division supported by Sufficient Staff and Distribution Network of around 700 Dealers covering all the States in India. We have efficient After Sales Service and provide good back up Facilities to our Customers.

R & D and Quality Control :

Committed to Quality - Its our constant endeavor to provide & delight consumers with New and Innovative Products having better Design, Engineering and Aesthetic Appeal. All products are Tested to International Standard and are Manufactured/ Sourced to make the best available.





CONTENTS

COMMER	CIAL SEMI-COMMERCIAL EQUIPMENTS
06-07	CURVED TREADMILL
08-21	MOTORISED TREADMILL
22-32	ELLIPTICAL
33-37	UPRIGHT
38-41	RECUMBENT
42	AIRBIKE
43-50	GROUP CYCLING
51-52	STAIR CLIMBER
53-55	ROWER

PRODUCT DISPLAY AT GURUGRAM OFFICE





CRUSADE-II

Product Code: 42100

Curved Running Treadmill, No Motor, LCD Screen. Longer Service Life as there are No Motorised Parts. Less Friction and No Heat Generation Makes it Safer than Traditional One. Run More Naturally and Burn More Calories. Propelling Technique required to Drive the Running Belt, more Muscle Groups and Expend more Energy.

🕨 🗡 🖌	tor
-------	-----

> Display

- : No Motor (Less Friction and No Heat Generation Makes it Safer than Traditional One)
- : 40x125mm LCD Screen
- : Propelling Technique to Drive the Running Belt
- Running Area
- ➤ Max. User Weight

➢ Running Belt

- Net WeightAssembly (LxWxH)
- : 230 Kgs. : 2000 x 900 x 1550mm

: 1600 x 480 mm

: 200 Kgs.

: No

- ≻ Noise Level

➢ Foldable

- > Other Features
- 0 x 900 x 1550mr
- : Noise Degree Below 80dB
- : Longer Service Life as there are no Motorised Parts. Run More Naturally and Burn More Calories. More Muscle Groups and Expend More Energy. Aluminium Plate insert in belt for extra longer life.



CRUSADE 3.0

Product Code: 42153

Curved Running Treadmill, No Motor, LCD Screen. Longer Service Life as there are No Motorised Parts. Less Friction and No Heat Generation Makes it Safer than Traditional One. Run More Naturally and Burn More Calories. Propelling Technique required to Drive the Running Belt, more Muscle Groups and Expend more Energy.

> : No Motor (Less Friction and No Heat Generation Makes it Safer than Traditional

> : Propelling Technique to Drive the Running

- > Motor
- > Display
- ➢ Running Belt
- ➢ Running Area
- > Max. User Weight
- ≻ Net Weight > Assembly (LxWxH)

: 1700 x 440 mm

One)

Belt

: No

- ➢ Noise Level

➢ Foldable

> Other Features

: 200 Kgs. : 165 Kgs.

: 40x125mm LCD Screen

- : 1975 x 855 x 1580mm
- : Noise Degree Below 80dB
- : Longer Service Life as there are no Motorised Parts. Run More Naturally and Burn More Calories. More Muscle Groups and Expend More Energy. Aluminium Plate insert in belt for extra longer life.









Screen

Incline





Auto Lubrication

AC-18T (Touchscreen)

Product Code: 42152

A new design Treadmill for the Elite Runner. AC-18T AC Duty Treadmill suitable for Commercial Environment. Equipped with Auto Lubrication System, ensures smooth running of the treadmill over the years. Shock Absorbed Running Deck absorbs the shock of your running impact, which can translate to less stress on your joints than running over hard surfaces.

- > Motor
- Speed Range
- > Incline
- Running Belt
- > Display
- ≻ Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH) :
- ≻ Foldable
- Emergency Stop
- Other Features

ELECTRONICS

- > Functions
- Displays

: 5HP (10HP Peak) AC Continuous Duty

- : 1~22km/h
- : Push Button Incline 0~16%
- : 23 x 65" (580 x 1640mm)
- : 22.5" HD LED Touchscreen
- : 200 Kgs.
- : 200 Kgs.
- : 2200 x 920 x 1540mm
- : No
 - : Yes
 - : Auto Lubrication System, Shock Absobred Running Deck
 - : Mp3 and USB, Mobile/Water Bottle Holder, 18 Preset Programs, 4 User + 2 HRC
 - : Time, Speed, Distance, Pulse, Calories, Body Fat





AC-18

Product Code: 42151

A new design Treadmill for the Elite Runner. AC-18 AC Duty Treadmill suitable for Commercial Environment. Equipped with Auto Lubrication System, ensures smooth running of the treadmill over the years. Shock Absorbed Running Deck absorbs the shock of your running impact, which can translate to less stress on your joints than running over hard surfaces.

- > Motor
- Speed Range
- ➤ Incline
- Running Belt
- > Display
- ▶ Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)
- ➢ Foldable
- Emergency Stop
- > Other Features

ELECTRONICS

- ➤ Functions
- ➢ Displays

- : 5HP (10HP Peak) AC Continuous Duty : 1~22km/h
- : Push Button Incline 0~16%
- : 23 x 65" (580 x 1640mm)
- : 7 LED Windows
- : 200 Kgs.
- : 200 Kgs.
- : 2200 x 920 x 1540mm
- : No
 - : Yes
 - : Auto Lubrication System, Shock Absobred Running Deck
 - : Mp3 and USB, Mobile/Water Bottle Holder, 18 Preset Programs, 4 User + 2 HRC
 - : Time, Speed, Distance, Pulse, Calories, Body Fat





Motor

Emergency stop



Incline



USB Port

C-5ST (Touchscreen)

Product Code: 42150

A Robust commercial grade treadmill with 21.5" touch screen. Wide colourfull display screen with ease of choosing between various options and exercise routines. Long running length gives comfort for tall runners.

- > Motor
- ➢ Speed Range
- ➤ Incline
- ➢ Running Belt
- Display
- > Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)
- ➢ Foldable
- Emergency Stop ➢ Other Features
- > ELECTRONICS
- ➢ Displays

- : 4HP (8HP Peak) AC Continuous Duty
- : 1~20km/h
 - : Motor Incline 0~20%
- : 23 x 66" (580 x 1670mm)
 - : 21.5" Touchscreen Display
 - : 200 Kgs.
 - : 280 Kgs.
 - : 2330 x 940 x 1700mm
 - : No
 - : Yes
 - : Mp3 and USB ,High Grade German Make Running Belt, Backlit LED offers Reduced Energy Consumption, Better Contrast and Brightness, Greater Colour Range
- - : Time, Speed, Distance, Pulse, Calories, Incline, Heart Rate







C-5S

Product Code: 42145

A Robust commercial grade treadmill with LED display screen. Very functional and simple to use machine. Best in class German made running belt. Long running length gives comfort for tall runners.

- > Motor
- Speed Range
- : 1~20km/h : Motor Incline 0~20% : 23 x 66" (580 x 1670mm)

: LED Screen Display

: 2330 x 940 x 1700mm

: 200 Kgs. : 280 Kgs.

: No

: Yes

: 4HP (8HP Peak) AC Continuous Duty

- InclineRunning Belt
- Display
- Max. User Weight
- Net Weight
- Assembly (LxWxH)
- Foldable
- Emergency Stop
- Other Features
- -----
- ELECTRONICS
- Displays
- : Time, Speed, Distance, Pulse, Calories, Incline, Heart Rate

: Mp3 and USB, High Grade German Make Running Belt, Backlit LED offers Reduced Energy Consumption, Better Contrast and Brightness









Emergency stop

Motor

Incline





X-8200A

Product Code: 50004

New age Design with Auto Lubrication System, ensures smooth running of the treadmill over the years.

- > Motor
- Speed RangeIncline
- : 3HP AC (6HP Peak) Continuous duty : 1~20km/h
- : Incline 0~15%
- : 20 x 60" (520 x 1500mm)
- Running Belt
 Belt Thickness
- Display
- May Hear M

ELECTRONICS

> Functions

- Max. User Weight
- > Net Weight
- Assembly (LxWxH)
 Emergency Stop
- : 2180 x 930 x 1420mm
 - : Yes

: 2.2mm

: 200 Kgs. : 196 Kgs.

: 7 LED Window

- : Mp3 and USB, Displays : Time, Speed, Distance, Pulse, Calories, Heart Rate, Mobile/ Water Bottle Holder, 18 Preset Programs, 4
- User + 2 HRC DEGREE DEGREE DEGREE



HULK 5000

Product Code: 42148

The HULK 5000 treadmill is designed to be a comfortable and easy to use treadmill that looks great in any gym, public, or private. Powerful 3HP Continuous duty AC Motor (6HP Peak) with Taiwan designed Inverter.

- > Motor
- ➢ Speed Range
- : 1.0~20km/h

: LED Display

: 200 Kgs.

: 216 Kgs.

: No : Yes

- Incline
 Running Belt
- : 0~15%

: 2400 x 910 x 1665mm

: 22x 62" (540x1575mm) 3.2mm, SIEGLING, Germany

: 3HP (6HP Peak) AC Continuous Duty

- Display
- ▶ Max. User Weight
- ► Net Weight
- > Assembly (LxWxH)
- ➢ Foldable
- Emergency Stop
- ELECTRONICS
- > Displays
- : Time, Speed, Distance, Calorie, Heart Rate, Emergency Stop, Power



SEMI-COMMERCIAL



555/111 (0360)

CX-5

Product Code: 42110

Outstanding design with Wide Running Area. Best suited for Semi-Commercial use, 2.0 HP AC Motor with LED Window Displays : Speed, Distance, Time, Calories, Program, Level, Pulse, Heart Rate, Body Fat. Light Weight Aluminium Alloy Side Posts.

- > Motor
- : 2HP (4 HP Peak) AC Continuous Duty : 1.0~20.8 Kph.

: 150 Kgs.

: 140 Kgs.

: Yes

: Yes

Speed RangeIncline

1.0~20.8 Kpn.

- : Motor Incline 0~18%

: 1956 x 1022 x 1393mm

- Running BeltDisplay
- : 23 x 59" (580x1500mm) : 7 LED Windows

CO:/itrNESS

- ≻ Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH)
- ≻ Foldable
- Emergency Stop

ELECTRONICS

FunctionsDisplays

CX5 cosco invess

- : Mp3 and USB, 5 Pre-set programs, 1 user
- : Time, Speed, Distance, Pulse, Calories, Body Fat



AC 800X

Product Code: 42111

AC Motor Treadmill with (-) 3% to 15% Incline. The (-) Negative Incline to experience Walking Downhill which Develops Eccentric contractions.As you walk downhill, your body gains momentum. These eccentric contractions build strength throughout these muscles' ranges of motion. It has powerful Motor, good allround Performance in Semi-Commercial environment.

> Motor	: 2.5 HP (5 HP Peak) AC Duty		
Speed Range	: 1.0~20 Kph.		
➤ Incline	: -3~15% Motor Incline		
Running Belt	: 22 x 60"(560 x 1530mm)		
≻ Display	: 7 LCD Display with Back Blue Light		
≻ Max. User Weight	: 150 Kgs.		
Net Weight	: 110 Kgs.		
Assembly (LxWxH)	: 2080 x 900 x 1460mm		
≻ Foldable	: Yes		
Emergency Stop	: Yes		
Other Features	: Negative Incline for Downhill walking Effect		

- ELECTRONICS
- Functions

Displays

- : 2 Layer Running Deck with Cushion, Incline Button on Handle Bar, USB and Speaker
- : Speed, Distance, Time, Calories, Heart Pulse, Program



SEMI-COMMERCIAL



---USB

USB

Port



Product Code: 42112

Strong 2 HP AC Motorised Treadmill Suitable for for Semi-Commercial Environment. Double Deck Cushioning which is Highly Recommended for Comfort Level for Joints.

: 2.0 HP (4 HP Peak) AC Duty

- > Motor
- Speed Range

Display

- ➤ Incline
- : Motor Incline 0~15%

: 1~18 Kph.

- ➢ Running Belt
- : 20 x 55" (510 x 1400 mm)

: 2070 x 880 x 1335mm

: 5 LED Readout

: 85 Kgs.

: Yes

: Yes

- > Max. User Weight : 140 Kgs.
- ➤ Net Weight
- Assembly (LxWxH)
- ➢ Foldable
- Emergency Stop
- ELECTRONICS
- ➤ Functions
- : 2 Layer Running Deck with Cushion, Quick Speed/ Incline Button with FAN and Hand Pulse. Running Surface with Shock Dissipation System, 12 Pre-set Programs, 4 HRC, 3 User, Anti Skid Rail. Double Cushion Deck, Wheels for Transport, MP3 and USB
- : Speed, Distance, Time, Calories, Pulse, Body Fat

> Displays



AC 90

Product Code: 42155

AC90 semi commercial AC motor treadmill is a great choice for those who want a high-quality treadmill with wide range of features and benefits, including a powerful motor, a large running surface, and a variety of programs and settings.

> : Motor Incline 0~20% : 23 x 60" (580x1500mm)

: 2050x840x1420mm

- > Motor
- : 3.0 HP (6 HP Peak) AC Duty : 1~24 Kph.

: 150 Kgs.

: 106 Kgs.

: Yes

- Speed Range ➤ Incline
- ➢ Running Belt
- ➢ Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)
- Emergency Stop
- ELECTRONICS ➤ Functions
- : Manual program+24 Built-in workout programs+Body Fat MP3 and USB, FITSHOW арр
- : Speed, Incline, Distance, Time, Calories, Pulse, Heart Rate

Displays COSCO ITINES COSCO / NINESS

SEMI-COMMERCIAL



AC 65

Product Code: 42154

AC65 semi commercial AC motor treadmill is a great choice for those who want a high-quality treadmill with wide range of features and benefits, including a powerful motor, a large running surface, and a variety of programs and settings.

: Motor Incline 0~20%

: 2050x840x1420mm

: 7" LCD with Blue Backlit

: 1~24 Kph.

: 150 Kgs.

: 106 Kgs.

: Yes

: 2.0 HP (4 HP Peak) AC Duty

: 23 x 59" (580x1500mm) 1.8mm thick

- > Motor
- Speed Range
- Incline
- Running Belt
- > Display
- ≻ Max. User Weight
- ≻ Net Weight
- Assembly (LxWxH)
- Emergency Stop
- ELECTRONICS
- Functions
- ≻ Displays

COSCO ITNESS

- : Manual program+24 Built-in workout programs+Body Fat MP3 and USB, Fan
- : Speed, Incline, Distance, Time, Calories, Pulse, Body fat

21



POWER 790M

Product Code: 42628

State of art latest design elliptical crosstrainer with electronic incline function. Extra long stride for multiple users self generating electronics with adaptor power supply. LED light makes it standout with a striking appeal. Roubst and Sturdy construction makes it for commercial use.

: 7 Windows LED Display

: 1-20 Electromagnetic resistance

: 0~20 grade (15~32°)

: 2210 x 710 x 1660 mm

: 15 Kgs.

: 180 Kgs.

: 167 Kgs.

- Stride Length : 23 inch (590mm)
- > Flywheel
- Display
- ➢ Slope Range
- ➢ Resistance
- ▶ Max. User Weight
 - ,+
- Net Weight
 Assembly (LxWxH)
- ELECTRONICS
- ➢ Displays
 - splays
- Power Supply
 Generator
 - s Solf
- : External Power adaptor Required.

: 7 Windows + 1 Dot Matrix Watt, Speed, Calories, RPM, Distance, Heart Rate, LAP, Contact, Pulse, 8 Programs, Contact Heart Rate Handles, Pedals with Cushioned Gel

: Self Generating Electronics





RE-500

Product Code: 42626

Non-Impact Conditioning-The elliptical allows your body to emulate a running motion without causing the strenuous impact on your joints. Therefore, the elliptical can burn close to the same amount of calories with less effort and long time injuries. Comfortable pedls with cushioned Gel.

: 21 inch (533mm)

: 350w, 20 level

- ➤ Stride Length
- ➢ Resistance Level
- > Max. User Weight ➢ Net Weight
- : 160 Kgs. : 119 Kgs.
- Assembly (LxWxH)

ELECTRONICS

- > Displays
- : 2179 x 742 x 1610 mm
- : 7 Windows + Dot Matrix, Time, Speed, Calories, RPM, Distance, Heart Rate
 - : No External Power Supply Required.





Product Code: 42601

E70 Elliptical Offers a Wounderful Workout Solution by using a Long Pedal Arm to help Exercisers to Smoothly Train the Whole Body at a Natural and Fluid Ergonomic Position, it is also Equipped with Heavy Flywheel to Maintain a Smooth Action and Ensure a Comfortable Workout.

: 242 mm (14.5 Kgs.)

: 2060 x 795 x1760 mm

: 5 LED Readout

: V-Belt / 1:10.3

: 200 Kgs.

: 104 Kgs.

: 500mm

: 40

- Stride Length
- Flywheel
- ➢ Display
- ➢ Resistance Level
- > Transmission/Ratio
- > Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)

ELECTRONICS

➢ Power Supply

➤ Generator

- ➢ Displays
- : Time, Distance, METS, Pulse, Calories with 4 Pre set, 4 HRC, 1 Manual Program
- : No External Power Supply Required.
- : Self Generating Electronics



CE-80

Product Code: 42603

CE-80 is a commercial grade Elliptical comes with rear flywheel. It's long and robust design makes it very comfortable even for tall users.

: 2200 x 730 x 1560 mm

- Stride Length : 500mm : 242 mm (14.5 Kgs.)
- ≻ Flywheel
- ➢ Resistance Level
- > Transmission | Ratio
- ➢ Max. User Weight
- ➢ Net Weight
- Assembly (LxWxH)

ELECTRONICS

> Power Supply

- ➢ Displays
- : Time, RPM, Distance, Pulse, METS, Calories with 4 Pre set, 4 HRC, 1 Manual Program
- : No External Power Supply Required.

: 1~20 : V-Belt | 1:10.3

: 200 Kgs.

: 130 Kgs.





28 FE

Product Code: 42633

28 FE is a commercial grade Elliptical comes with front flywheel. It's long and robust design makes it very comfortable even for tall users. : 460mm (18")

: 14.0 Kgs. 2 Way

- ➤ Stride Length
- ➢ Flywheel
- ➢ Resistance Level
- ≻ Crank
- ➢ Display
- ≻ Max. User Weight
 - : 135 Kgs.
 - : 91.5 Kgs.

: 20

: Disc

: 1890 x 560 x 1610 mm Assembly (LxWxH)

: LCD Screen

ELECTRONICS

➢ Displays

≻ Net Weight

- : Time, Speed, RPM, Distance, Pulse,
- Power Supply
- Calories, Ricovery, Body Fat
- : No External Power Supply Required.



😵 Bluetooth

CD5E

Product Code: 42630

Semi-Commerial Elliptical with 7 Kgs. Magnetic Flywheel. 5 inch LCD Display Screen. 0~15 % 3 Step Manual Incline. 20 inches Stride Length. Bluetooth and Tablet/ Phone Holder.

- Stride Length
- : 20" (508mm) : 0~15% (3 Steps Manual)

: 10 Kgs. Magnetic

- Incline
- Flyweel
- ≻ Display
- Resistance Level
- Max. User Weight
- > Net Weight
- Assembly (LxWxH)

ELECTRONICS

➤ Functions

➢ Displays

: 130 Kgs. : 91 Kgs.

: 5" LCD

: 24 Level

- : 1800 x 550 x 850mm
- xWxH) :1800 x 5
 - : 12 Programs, Handle Pulse Sensor, Bluetooth
 - : Time, Speed, Distance, Pulse, Calories



CNB-9.0ES AT* (Taiwan)

Product Code: 42627

CE-80 Elliptical Offers a Wounderful Workout Solution by using a Long Pedal Arm to help Exercisers to Smoothly Train the Whole Body at a Nature and Fluid Ergonomic Position, it is also Equipped with Heavy Flywheel to Maintain a Smooth Action and Ensure a Comfortable Workout.

: 18" (450mm)

: V-Belt | 1:10.3

: 1620 x 620 x 1590 mm

: 136 Kgs.

: 76 Kgs.

: 260mm, Two Way

- ➤ Stride Length
- ➢ Flywheel
- ≻ Crank
- : 3 Pcs : 1~20
- ➢ Resistance Level
- > Transmission | Ratio
- ➢ Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)

ELECTRONICS

- ≻ Displays
- Power Supply
- : Time, Speed, Distance, Calories, Pulse, Recovery, Body Fat, RPM, Manual, H.R.C., 25 Programs, User Profile, Watt program
- : External Power Supply Required.









FITLUX 5200

Product Code : 49001

FitLux 5200 elliptical cross trainer is designed to engage all the muscles of the lower and upper body while minimizing strain on the back, joints and muscles. Constructed from extra-heavy-gauge steel and equipped at all pivot points with sealed bearings provides a comfortable and natural stride. Fitlux 5200 elliptical trainer features a quite, smooth belt drive system, 16 preset programs including heart rate control options, 16 levels of resistance, a body-fat calculator and builtin heart rate receiver.

- : 19" (483mm) > Stride Length : 270 mm Dia. ➢ Flywheel
- ≻ Crank
- > Max. User Weight
- > Net Weight Assembly (LxWxH)
- : 73 Kgs.
 - : 2000 x 640 x 1660mm

: 3 Pcs

: 140 Kgs.

ELECTRONICS

- > Functions
- ➢ Displays
- : Motorised Resistance 16 Ranges, 16 Program, 3 HRC, 6 Pre-Set, 4 User, 1 Body Fat,
- : RPM, Time, Speed, Distance, Calories, Pulse, Watt, Recovery.





28E

Product Code: 42632

28E is a Deluxe Elliptical comes with rear flywheel. It's long and robust design makes it very comfortable even for tall users.

- ➤ Stride Length : 460mm (18") : 10.0 Kgs.
- ➢ Flywheel
- ➢ Resistance Level
- Display
- > Max. User Weight
- ≻ Net Weight > Assembly (LxWxH)
- : LCD Screen : 135 Kgs.
- : 81 Kgs.

: 25

: 2050 x 700 x 1730 mm

ELECTRONICS

≻ Displays

: Time, Speed, Incline, Watt, Distance, Pulse, Calories, Ricovery, Body Fat



EKX-6R

Product Code: 42615

Deluxe Elliptical Bike with 292mm dia. Flywheel. Stride Length 460mm. Semi-Commercial Duty Elliptical with 24 Range Motorised Resistance.

- Stride LengthFlywheel
- : 18" (460mm) : 292mm
- Resistance Level
- ➢ Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH)
- : 120 Kgs.
- : 57 Kgs.
- : 1707 x 686 x 1625mm

: 24 Range Motorised

ELECTRONICS

- ➤ Functions
- > Displays
- : 12 Programs with 4 HR
- : Time, Speed, Distance, Pulse, Calories, Watt, Recovery





POWER 290

Product Code: 42345

Self Powered Hybrid Upright Bike with No External Power Required. It has 3 riding positions with contact heart rate Grips. Single sided weighted pedal. Erognomically designed handle bars. K-O-P-S biometrics, Easy to service.

➢ Flywheel : 15 Kgs. ➢ Resistance Level : 1~40 Electromagnetic resistance Display : 7 Windows LED Display : Self Powered Hybrid Brake ≽ Brake ▶ Max. User Weight : 180 Kgs. > Net Weight : 72 Kgs. > Assembly (LxWxH) : 1200 x 580 x 1550mm ELECTRONICS ➤ Maintenance-free : Fault self-inspection system, machine failure occurs, automatic display fault code ➤ Functions : USB interface, input subtitles, advertising language function, mobile phone holder, 11 seat adjustable position, Machine will enter sleep mode in 5 minutes under standby condition : 6 built-in, 3 user, 3 counting programs ➢ System program ➢ MFT function : Automatically calculates the metabolic equivalent index of exercise energy Step counting : Automatically counts the number of movement steps and displays the step frequency data Displays : 7 Windows + Dot Matrix Watt, Speed, Calories, RPM, Distance, Heart Rate, LAP, Contact, Pulse, 8 Programs, Contact Heart Rate Handles, Pedals with Cushioned Gel NO POWER REQUIRED cosco/nrvess



RU 500

Product Code: 42300

Self Powered Hybrid Upright Bike with No External Power Required. It has 3 riding positions with contact heart rate Grips. Single sided weighted pedal. Erognomically designed handle bars. K-O-P-S biometrics, Easy to service.

- > Pulley
- > Crank
- Flywheel
- ➢ Resistance Level
- Display
- ➢ Brake
- > Max. User Weight
- ➢ Net Weight
- > Assembly (LxWxH)
- ELECTRONICS
- ➤ Functions

- : One Way Pulley Ø300mm
- : Standard
- : 8 Kgs.
- : 350W, 20 Level
- : 7 Windows + Dot Matrix
- : Self Powered Hybrid Brake
- : 160 Kgs.
- : 63 Kgs.
- : 1090 x 660 x 1490mm

≻ Displays

- : Instant program key, II workout and 7 display readouts,. It has 3 riding positions with contact heart rate Grips. It has 2 step powder coating with rust resistance undercoat. Single sided weighted pedal.
- : Watts, Speed, Time, Calorie, RPM, Distance, Heart, Rate, Lap, Readout.







CNB6.0 U-AT* (Taiwan)

Product Code: 42330

Programmable Upright Bike with BELT DRIVE System. 260mm Dia. Flywheel. Auto Tension. Friction-free Magnetic Resistance.Deluxe computer console with book racket. Built-in Hand Grip Pulse Sensor with Elbow Pads. Two-Tones Pedals with shock resistance and adjustable strap.

- > Flywheel : 260mm (7 Kgs.)
 > Crank : 3 Pcs
 > Resistance Level : 16 Fitness Levels
- Period
 Pulley

➤ Net Weight

≻ Max. User Weight

> Assembly (LxWxH)

- :Ø300
- : 150 Kgs.
 - : 46 Kgs.
 - : 1220 x 540 x 1470mm
 - : Auto Tension, Pulse Recovery +BACK LIGHT
 - : Auto Tension, Puise Recovery +BACK L
- Other Features
 ELECTRONICS
- Functions
- ≻ Displays
- > Generator
- : 12 Programs
- : Time, RPM, Speed, Distance, Watts, Calories, H.R.C., Body Fat, Pulse, BMI
- : Friction-free Magnetic Resistance.



28U

Product Code: 42352

Semi-Commercial Duty Upright Bike 3 Pcs Crank. Friction Free Electromagnetic Resistance with adaptor. It has LED display.

- ➢ Flywheel
- ≻ Crank
- ➢ Resistance Level
- > Display
- ► Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH)

- : 9 Kgs. One way
- : 3 Pcs
- : 24
- : LED Screen
- : 135 Kgs.
- : 50.5 Kgs.
- : 1245 x 620 x 1450mm
- > ELECTRONICS
- ➤ Functions
- ➢ Displays
- : 12 Level short Keys
- : Time, Speed, Distance, Calories, Pulse



170U

Product Code: 42341

Semi-Commercial Duty Upright Bike 3 Pcs Crank. Friction Free Electromagnetic Resistance with adaptor. It has dual colour LCD display with tablet/phone holder and built in fan.

: Dual Colour LCD

- > Flywheel
- ≻ Crank
- Display
- Max. User Weight
- Net WeightAssembly (LxWxH)
- : 150 Kgs. : 39 Kgs.

: 6 Kgs.

: 3 Pcs

- : 1120 x 620 x 1400mm
- ELECTRONICS
- Functions
- ➤ Displays
- : 12 Preset, Program, Mp3 with built in speaker
- : Time, Speed, Distance, Calories, Pulse, Recovery, RPM, Watts, H.R.C.







POWER 390 Product Code: 42346

Self Powered Hybrid Upright Bike with No External Power Required. It has 3 riding positions with

38





RR-500

C-1000 R AT* (Taiwan)

Product Code: 42308

Commercial Duty Recumbent Bike with Ø300mm Oneway Pulley and 3 Pcs Crank. Friction Free Electromagnetic Resistance with adaptor. Deluxe Computer Console. Adjustable Deluxe Aluminium Carriage Tube and Seat Carriage.

: LED Readabouts

- > Pulley
- : One Way Pulley Ø300mm : 3 Pcs
- Crank
- Displays
 Max. User Weight
 Net Weight
- : 150 Kgs.
- : 47 Kgs.
- > Assembly (LxWxH) : 1450 x 620 x 1280mm

ELECTRONICS

> Functions

> Power Supply

- : Large Adjustable Seat & Back Cushions, Programmable Computer Features Programs with Large Windows LED Readout, Built-in Hand Grip Pulse Sensor, Durable Pedals with Shock-Absorbing Air Cushion and Adjustable Strap / Strap Adjuster Buckle, Extra Sturdy and Stable Steel Frame Construction.
- : External Power Supply Required.

*AT = Auto Tension



28R

Product Code: 42353

Recumbent Bike with Oneway Pulley and 3 Pcs Crank. Friction Free Electromagnetic Resistance.

- > Flywheel : 9 Kgs. One Way : 3 Pcs
- ≻ Crank
- ➢ Resistance Level
- ➢ Displays
- ➢ Max. User Weight
- : 150 Kgs.

: 24

- ➤ Net Weight Assembly (LxWxH)
- : 71 Kgs.
 - : 2010 x 640 x 1240mm

: LED Readabouts

ELECTRONICS

➤ Functions

: Quick release seat sliding, comfortable mesh back, incline adjustment, 12 level short keys 27 programs.



AIR BIKE

CEB-11 AIR BIKE

Product Code: 42351

Dual Drive (Belt + Chain) Magnetic Air Bike, Large Flywheel. Flat Belt, 3 Pc Crank. Aluminium SPD Pedals.

- ➢ Crank > Flywheel
- > Fan
- ➢ Resistance Level ➢ Display
- > Max. User Weight
- > Net Weight
- > Assembly (LxWxH)
- ➢ Other Features
- : 3PCS,
- : 6 kgs.
- : 24" Dia. Plastic Fan
- : 15 Level Air and Magnetic
- : LCD
 - : 100 Kgs.
 - : 49 Kgs.
 - : 1400 x 610 x 1260mm
 - : Chain + Belt Drive (Double Drive), 2 wheels in the front for easy transport. Adjustable Footplates, hand grip can be adjusted to fit different users, Bottle Holder

ELECTRONICS

- ➢ Displays
- : Speed, Distance, Time, Calories, Pulse, Built in receiver, Watt





Chain Drive

Belt Drive



POWER 980

Product Code: 42348

Commercial grade bike with 20 Kgs. Aluminium flywheel, belt driven, silent motion, magnetic control resistance.

- > Flywheel
- ≻ Max. User Weight ≻ Net Weight
- : 180 Kgs.
- : 68 Kgs.
- > Assembly (LxWxH) : 1200 x 580 x 1550mm
- ➢ Other Features
- : Automatic speed changing

: 20 Kgs. Aluminium Flywheel



REVO TF5

Product Code: 42355

Commercial grade bike, 20 Kgs. balanced flywheel and 21.5" TFT Screen with app., belt driven, silent motion, magnetic control resistance.

- ➢ Flywheel
- : 20 Kgs. : 21.5" TFT Screen with app.
- Display ➢ Resistance Level
 - : 36
- ≻ Max. User Weight : 150 Kgs. : 60 Kgs.
- ≻ Net Weight Assembly (LxWxH)
 - : 1310 x 535 x 1295mm





POWER 880

Product Code: 50013

CNC 22 kg flywheel, one-piece belt driven bike. High strength axle and foot pedal which lengthen the service life. Smooth and silent when riding.

- ➢ Flywheel
- ≽ Brake
- > Max. User Weight
- ➤ Net Weight
- > Assembly (LxWxH)
- ➢ Other Features
- : 22 Kgs. CNC Flywheel : Press Type
- : 180 Kgs. : 57 Kgs.
- - : 1050 x 600 x 1150mm
 - : High grade pedal, adjust seat forwards & back, upward & downward, high strength axle & foot pedal, smooth &



GROUP CYCLING BIKE



Belt Drive

GYRO-XB 06

Product Code: 50014

Magnetic Bike with large and comfortable handlebar provide steady supporting during exercise, with thoughtful design of places for Cellphone and Water Bottles. Comfortable seat with dynamical and human biological design.Pedal with fixation to protect the feet during exercise. Emergency button could pushed to stop the bike at once, which improve the security index of this bike.Brake system to control the degree of resistance.

- Flywheel
- ≽ Brake
- ≻ Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH)
- ➤ Other Features

: 16 Kgs. balanced
: Press Type
: 160 Kgs.
: 70 Kgs.
: 1225 x 630 x 1170mm
: 3mm thickness oval tube: electrostatic powder coating, raw materials from South Korea, Laser Cutting equipment from Germany, Robot welding machines from Japan

: Time, Distance, Heart Rate

ELECTRONICS

Displays



REVO F5

Product Code: 42354

Commercial grade bike, 20 Kgs. balanced flywheel and LED Display, belt driven, silent motion, Bluetooth with app.

: 20 Kgs.

- FlywheelDisplay
 - : LED Screen vel : 36
- ➢ Resistance Level

➤ Net Weight

- ➤ Max. User Weight : 150 Kgs.
 - : 60 Kgs.
- > Assembly (LxWxH) : 1310 x 535 x 1295mm



REVO 220

Product Code: 42312

New age Design, Revo 220 is a Commercial Indoor Group Cylce with Rubber Coated Handlebars Makes Users feel more Comfortable.Belt Drive System.Micro-adjustable Fore and AFT Seat Slider.

Flywheel

Max. User WeightNet Weight

➢ Other Features

- : 160 Kgs. : 88 Kgs.
- Net Weight :
 Assembly (LxWxH) :
 - : 1250 x 600 x 1150mm

: 24Kgs. balanced

: High grade pedal, adjustable forward AFT. Seat, Rubber coated handle bar

ELECTRONICS

- ➢ Displays
- : Time, Distance, Heart Rate



REVO 718

Product Code: 42358

Commercial grade bike, 18 Kgs. balanced flywheel and LED Display, belt driven, silent motion, high grade pedal, adjustable forward AFT. seat.

: 18 Kgs.

- Flywheel
- ≻ Max. User Weight
- ≻ Net Weight
- Assembly (LxWxH)
- : 150 Kgs. : 56 Kgs. : 1060 x 240 x 780mm





GROUP CYCLING BIKE

REVO 713

Product Code: 42359

Commercial grade bike, 13 Kgs. balanced flywheel and LED Display, belt driven, silent motion, high grade pedal, adjustable forward AFT. seat.

: 13 Kgs.

- ➢ Flywheel
- ≻ Max. User Weight
- ≻ Net Weight
- > Assembly (LxWxH)
- : 150 Kgs. : 54 Kgs.
- xWxH) : 1100 x 280 x 960mm





POWER 580

Product Code: 42298

Automatic electric design, multi-angle handrail handle, free operation more convenient; Intelligent heart rate monitoring, small footprint, mute magnetic wheel, front casters, position freely, side of the spontaneous electric light belt. 220 speed electric control resistance control system.





RX 100 (Taiwan) **AIR | MAGNETIC ROWER**

Product Code: 42800

The foldable RX 100 rowing machine has a double resistance system, because of this it gives the exact rowing experience and quality as the heavy air rowing machines in the gym.The heavy air system creates the base resistance and natural rowing experience. The magnetic system creates the extra exercise resistance. Ergonomic grip for added comfort. With a nice touch, you can open and close the ventilation of the air resistance as desired.

- ➢ Resistance Level
- ➢ Frame Display

➢ Other Features

- ▶ Max. User Weight
- ➢ Net Weight
- : 43.6 Kgs. : 2370 x 500 x 910mm > Assembly (LxWxH)

: LCD

: 170 Kgs.

: 24 Levels

: Aluminium

: Built-in Receiver, EMS Generator

ELECTRONICS ➤ Functions

➢ Displays

- : 43 Programs, 25 Preset, 5 User, 4 HRC, 1 Watt
- : Race, Recovery, User program, Time, Distance, Wattage, Speed, Scan, Number of Strokes, Calories, Ergometer, Body Fat, BMI Index



RX 99 (Taiwan) **AIR | MAGNETIC ROWER**

Product Code: 42801

The foldable RX-99 rowing machine is the ideal tool to improve your cardio endurance, weight loss and strengthen a wide range of muscles. The rowing machine is equipped with an extra strong aluminum rail with a high seat. In combination with a well-designed frame, ensures that you can step on your rowing machine with complete confidence. The LCD backlight display offers a wide range of fun and inspiring programs, such as Race, Recovery, User program

: Aluminium

: 130 Kgs. : 36 Kgs.

: LCD Backlight

: Polar Receiver

: 2140 x 600 x 740mm

- ➢ Resistance Level : 16 Levels
- ➢ Frame
- > Display
- > Max. User Weight
- > Net Weight
- Assembly (LxWxH)
- Other Features

ELECTRONICS

- ➤ Functions
- Displays
- : 16 Programs : 12 Preset, 4 HRC, 1 User Programs
- > Adaptor
- : Race, Recovery, User program, Time, Distance, Speed, Number of Strokes, Calories : 9V 1A



CRW-6018 WATER ROWER

Product Code: 42808

Fluid resistance rower workout theory

Drag Force is physics impact data in water tank tht drag the handlebar and provide a program to produce true Watt and Calories. Drag faster more resistance.

- Resistance Level
 - : Twin tube with aluminum rail
- ≽ Brake
- : Water tension sion System : Volute Spring / Bungee cord

: 6 Levels

- Transmission System
 Max. User Weight
 - /eight : 150 Kgs.
- ≻ Net Weight

Sliding Track

- : 35 Kgs.
- Assembly (LxWxH)
- : 2010 x 515 x 910mm : Polar Receiver
- Other Features

ELECTRONICS

- Functions
- Displays
- : 16 Programs : 12 Preset, 4 HRC, 1 User Programs
- Time, 500m, Spm, Drag Force, Distance S, Strokes, Total Strokes, Calories, Watt, Bulit in Pulse Receiver, Quick Start, Standard, Target (Interval/Single), Custom, Race
 Battery (2*AA)
- > Adaptor





DELHI | GURGAON | MUMBAI | JALANDHAR

Cosco (India) Limited, 2/8 Roop Nagar, Delhi-110007, Tel.: +91 11 23843000 Fax: +91 11 23846000 | E-mail: mail@cosco.in | www.cosco.in