


















**MAXIMUM
RETAIL PRICE LIST**









W.E.F. 15-09-2024






CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
TREADMILL				
Commercial				
42100	CRUSADE-II	CURVED RUNNING TREADMILL WITH METER, NO MOTOR, 40x125mm LCD SCREEN, STRONG TRACKER RUBBER BELT FOR LONGER SERVICE LIFE, RUNNING BELT : 480x1600mm, DIM :(LxWxH) 2000x900x1550mm, MAX. USER WT. : 200 Kgs. NET WT : 230 Kgs.		247500
42153	CRUSADE 3.0	CURVED RUNNING TREADMILL WITH METER, NO MOTOR, 40x125mm LCD SCREEN, STRONG TRACKER RUBBER BELT FOR LONGER SERVICE LIFE, RUNNING BELT : 440x1700mm, DIM :(LxWxH) 1975x855x1580mm, MAX. USER WT. : 200 Kgs. NET WT : 165 Kgs.		207900
42152	AC-18T  <small>Wireless Phone Charger</small>	5.0 HP (10 HP PEAK) AC MOTOR, SPEED: 1.0~22 KPH, BELT : 23x65”(580x1640mm), AUTO LUBRICATION, 22.5” HD LED TOUCHSCREEN DISPLAYS :S/D/T/C/P/B,AUTO INCLINE 0~16%,18 PRE-SET,2 HRC, ALUMINIUM SIDE STRIP, Mp3, USB, DIM : (LxWxH) 2200x920x1540mm, MAX. USER WT. : 200 Kgs. NET WT : 200 Kgs.		495000
42151	AC-18	5.0 HP (10 HP PEAK) AC MOTOR, SPEED: 1.0~22 KPH, BELT : 23x65”(580x1640mm),18 PRE-SET, 2 HRC, AUTO INCLINE 0~16%, 7 LED DISPLAYS :-S/D/T/C/P/B, AUTO LUBRICATION, ALUMINIUM SIDE STRIP, Mp3, USB, DIM : (LxWxH) 2200x920x1540mm, MAX. USER WT. : 200 Kgs. NET WT : 200 Kgs.		349800
42149	C-5ST	21.5" TOUCH SCREEN, 4.0 HP (8.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, AUTO INCLINE 0~20%, BELT :23x66”(580x1670mm), DISPLAYS :- S/D/T/C/P/H/, GERMAN RUNNING BELT,Mp3, USB, ANDROID SYSTEM, DIM :(LxWxH) 2330x940x1700mm, MAX. USER WT. : 200 Kgs. NET WT : 280 Kgs.		312400
42105	CX-9	3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED: 1.0~25 KPH, BELT: 24x65”(600x1650mm),USB, AUTO INCLINE 0-18%, 7” LCD BLUE BACKLIT DISPLAYS : S/D/T/C/P//H, ALUMINIUM ALLOY SIDE RAILS, DIM : (LxWxH) 2255x1000x1500mm, MAX. USER WT : 200 Kgs. NET WT : 225 Kgs.		262900
42145	C-5S	4.0 HP (8.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, BELT : 23x66”(580x1670mm), Mp3, USB, MOTOR INCLINE 0~20%, BACKLIT LED DISPLAYS :S/D/T/C/P/H, GERMAN RUNNING BELT, DIM :(LxWxH) 2330x940x1700mm, MAX. USER WT. : 200 Kgs. NET WT : 280 Kgs.		231000
42167	AC-100 	4.0 HP (8.0 HP PEAK) AC MOTOR, SPEED: 1.0~25 KPH, BELT : 24x65”(620x1650mm), 2.8mm THICKNESS, MOTOR INCLINE 0~20%, 4 LED WINDOWS DISPLAYS :S/D/T/C/P/H, WIRELESS CHARGING, FITSHOW APP. DIM :(LxWxH) 2380x1040x1615mm, MAX. USER WT. : 200 Kgs. NET WT : 170 Kgs.		197800

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
TREADMILL				
Commercial				
50004	8200A	<p>3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED: 1.0~20 KPH, BELT : 20x60”(520x1500mm) 2.2mm THICK BELT,</p> <p>AUTO INCLINE 0-15%, 7 LED WINDOWS, DISPLAY : S/D/T/C/P/H, 18 Preset, 4 User + 2 HRC PROGRAMS</p> <p>DIM : (LxWxH) 2180x930x1420mm, MAX. USER WT : 200 Kgs. NET WT : 196 Kgs.</p>		181500
42148	HULK 5000	<p>3.0 HP (6.0 HP PEAK) AC MOTOR,SPEED: 1.0~20 KPH, BELT : 22x62”(540x1575mm), 3.2mm THICK BELT,</p> <p>SIEGLING GERMANY, AUTO INCLINE 0-15%, LED DISPLAY : S/D/T/C/P/H, EMERGENCY STOP,</p> <p>DIM : (LxWxH) 2400x910x1665mm, MAX. USER WT : 200 Kgs. NET WT : 216 Kgs.</p>		175800
Semi-Commercial				
42150	CX-5T	<p>15" TOUCH SCREEN, 2.0 HP (4.0 HP PEAK) AC MOTOR, SPEED 1.0~20.8 KPH, AUTO INCLINE 0~18%,</p> <p>BELT: 23x59” (580x1500mm), DISPLAYS : S/D/T/C/P/B, Mp3, USB, FOLDABLE, EMERGENCY STOP,</p> <p>DIM : (LxWxH) 1956x1022x1393mm, MAX. USER WT : 150 Kgs. NET WT : 140 Kgs.</p>		237600
42110	CX-5	<p>2.0 HP (4.0 HP PEAK) AC MOTOR, SPEED 1.0~20.8 KPH, BELT: 23x59” (580x1500mm), Mp3, USB,</p> <p>AUTO INCLINE 0~18%, 5 PRE-SET ,1 USER, 7 LED WINDOW DISPLAYS : S/D/T/C/P/B, FOLDABLE,</p> <p>DIM : (LxWxH) 1956x1022x1393mm, MAX. USER WT : 150 Kgs. NET WT : 140 Kgs.</p>		190700
42111	AC-800X 	<p>2.5 HP(5.0 HP PEAK) AC MOTOR, SPEED :1~20 KPH, BELT :22 x 60”(560x1530mm) 7 LCD BLUE</p> <p>BACKLIT, INCLINE : (-)3%~15%, (NEGATIVE INCLINE FOR DOWNHILL WALKING EFFECT),</p> <p>2 LAYER CUSHIONED RUNNING DECK, USB, SPEAKER, INCLINE BUTTON ON HANDLE BAR,</p> <p>DIM: (LxWxH) 2080x900x1460mm, MAX. USER WT :150 Kgs. NET WT :110 Kgs.</p>		171400
42112	AC-700X 	<p>2.0 HP (4.0 HP PEAK) AC MOTOR, AUTO INCLINE : 0~15%, BELT : 20x55”(510x1400mm), Mp3,USB,FAN,</p> <p>FOLDABLE, SPEED :1.0~18 KPH,12 PRE-SET,4 HRC, 3 USER,FOLDABLE,HAND PULSE, 2 LAYER RUNNING</p> <p>DECK, 5 LED READOUT, DIM (LxWxH) 2070x880x1335mm, MAX.USER WT 140 Kgs. NET WT : 85 Kgs.</p>		155100
42155	AC-90 	<p>3.0 HP (6.0 HP PEAK) AC MOTOR, SPEED 1.0~24 KPH, BELT: 23x60” (580x1500mm), FITSHOW APP.</p> <p>Mp3, USB, AUTO INCLINE 20%, 24 BUILT-IN PROGRAMS, METER DISPLAYS : S/D/T/C/P/I/H,</p> <p>DIM : (LxWxH) 2050x840x1420mm, MAX. USER WT : 150 Kgs. NET WT : 106 Kgs.</p>		153800
42154	AC65	<p>2.0 HP (4.0 HP PEAK) AC MOTOR, SPEED 1.0~24 KPH, AUTO INCLINE 0~20%, 7” BLUE BACKLIT LCD,</p> <p>Mp3, USB, FAN, BELT : 23x59” (580x1500mm) 1.8mm THICK, DISPLAYS : S/D/T/C/P/B/I,24 WORKOUT</p> <p>PROGRAMS, DIM : (LxWxH) 2050x840x1420mm, MAX. USER WT : 150 Kgs. NET WT : 106 Kgs.</p>		136400




CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
TREADMILL				
Home				
AC Series				
42162	CMTM-AC-370  	2.0 HP(4.0 HP PEAK)AC MOTOR,AUTO INCLINE :0~18%, BELT:20x57",SPEED:0.8~20 KPH,Mp3,BLUTOOTH USB, FOLDABLE,LED DISPLAY,DIM (LxWxH):1820x850x1430mm, MAX.USER WT: 140 Kgs. NET WT: 91 Kgs.		107600
42113	CMTM-AC-600 	1.5 HP(3.0 HP PEAK)AC MOTOR,AUTO INCLINE :0~15%,BELT: 19x54",SPEED: 0~16 KPH,USB,SPEAKER, FAN, FOLDABLE,7" BLUE LCD,DIM (LxWxH):1770x790x1360mm, MAX.USER WT: 120 Kgs. NET WT: 84 Kgs.		103200
42161	CMTM-AC-360  	1.75 HP(3.5 HP PEAK)AC MOTOR,AUTO INCLINE : 15%, BELT:18x55",SPEED:0.8~16 KPH,Mp3,BLUTOOTH USB, FOLDABLE, 5"LCD DISPLAY,DIM (LxWxH):1650x785x1315mm, MAX.USER WT: 130 Kgs. NET WT: 67 Kgs.		89990
42160	CMTM-AC-350  	1.75 HP(3.5 HP PEAK)AC MOTOR,AUTO INCLINE : 15%, BELT:18x53",SPEED:0.8~16 KPH,Mp3,BLUTOOTH USB, FOLDABLE, 5"LCD DISPLAY,DIM (LxWxH):1650x785x1315mm, MAX.USER WT: 130 Kgs. NET WT: 65 Kgs.		78900
42146	CMTM-AC-200  	1.0 HP(2.0 HP PEAK)AC MOTOR,AUTO INCLINE :0~15%, BELT:17x48",SPEED:1.0~14 KPH, Mp3,SPEAKER FAN,FOLDABLE,BLUE LCD DISPLAY,DIM(LxWxH):1550x710x1240mm, MAX.USER WT:100 Kgs,NET WT:41 Kgs.		61400
SPRINT Series				
42164	CMTM-SPRINT 40 	1.75 HP (3.5 HP PEAK) DC MOTOR, AUTO INCLINE: 0~15%, BELT: 20x56",SPEED :1.0~18 KPH, BLUETOOTH SPEAKER & APP., LED DISPLAY, PROGRAMS P1~P15, FOLD BY CYLINDER, DIM (LxWxH) :1745x765x1350mm, MAX.USER WT : 120 Kgs. NET WT : 68 Kgs.		75900
42165	CMTM-SPRINT 30 	1.5 HP (3.0 HP PEAK) DC MOTOR, AUTO INCLINE: 0~12%, BELT: 18x52",SPEED :0.8~16 KPH, BLUETOOTH SPEAKER & APP., LED DISPLAY, PROGRAMS P1~P15, FOLD BY CYLINDER, DIM (LxWxH) :1500x760x1300mm, MAX.USER WT : 110 Kgs. NET WT : 54 Kgs.		62700
42166	CMTM-SPRINT 20 	1.25 HP (2.5 HP PEAK) DC MOTOR, AUTO INCLINE: 0~12%, BELT: 17x48",SPEED :0.8~14 KPH, BLUETOOTH SPEAKER & APP., BLUELIT LCD DISPLAY, PROGRAMS P1~P12, FOLD BY CYLINDER, DIM (LxWxH) :1430x685x1200mm, MAX.USER WT : 100 Kgs. NET WT : 46 Kgs.		47300
JKEXER Series 				
49011	JKEXER XTRA-875 Taiwan 	3.0 HP (6.0 HP PEAK)DC MOTOR,SPEED : 0~18 KPH, BELT: 20x56", NEW ASA* SHOCK ABSORPTION, AUTO INCLINE :0~12%,150x82mm BACKLIT LCD DISPLAYS ;S/D/T/C/P//R*/B*/M,FOLDABLE, USB, POLAR RECEIVER,BLUETOOTH, WI-FI, DIM: LxWxH :1900x830x1500mm, MAX. USER WT: 140 Kgs. NET WT: 90 Kgs.		101000
49009	JKEXER EPIC-823 Taiwan 	2.7 HP (5.0 HP PEAK)DC MOTOR, SPEED : 0.8~18 KPH, BELT: 20x55", NEW ASA* SHOCK ABSORPTION SYSTEM,AUTO INCLINE :0~12%, DOT MATRIX,105x57mm BACKLIT LCD DISPLAYS ; S/D/T/C/P//P*,FOLDABLE, 10 PRE-SET PROGRAMS, DIM: LxWxH : 1770x850x1400mm, MAX. USER WT: 130 Kgs. NET WT: 79 Kgs.		72400









CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
TREADMILL				
Home				
GO Series				
42159	CMTM-GO 4.0 	1.25 HP (2.5 HP PEAK)DC BRUSHLESS MOTOR, AUTO INCLINE, BELT:17x50" , SPEED :0.8~16 KPH ,Mp3, USB, SPRING SHOCK ABSORPTION , P1-P12 ,H1,H2,H3 PROGRAM MODES, SEMI AUTO LUBRICATION , LCD, ZWIFT APP. , FOLDABLE, DIM (LxWxH) :1690x720x1240mm, MAX.USER WT : 110 Kgs. NET WT : 56 Kgs.		57000
42163	CMTM-GO 2.0UP 	1.0 HP (2.0 HP PEAK)DC BRUSHLESS MOTOR, MANUAL INCLINE, BELT:17x50" , SPEED :0.8~14 KPH , Mp3,USB, SPRING SHOCK ABSORPTION, SEMI LUBRICATION , LCD DISPLAY, FOLDABLE BY CYLINDER, ZWIFT APP. , DIM (LxWxH) :1690x720x1240mm, MAX.USER WT : 110 Kgs. NET WT : 56 Kgs.		50400
42156	CMTM-GO 1.0 	1.0 HP (2.0 HP PEAK) DC BRUSHLESS MOTOR, NO INCLINE, BELT:16x48" , SPEED :0.8~12 KPH , Mp3,USB, SPRING SHOCK ABSORPTION, MANUAL LUBRICATION , LCD DISPLAY, FOLDABLE BY CYLINDER, ZWIFT APP. , DIM (LxWxH) :1636x770x1294mm, MAX.USER WT : 100 Kgs. NET WT : 45 Kgs.		39400
K Series 				
42115	CMTM-K-55 	2.5 HP (5.0 HP PEAK) DC MOTOR, AUTO INCLINE: 0~15%, BELT: 20x55" , SPEED :1.0~18 KPH , Mp3, USB, 7" LCD DISPLAY, 34 PROGRAMS,1 MANUAL,3 TARGET, 25 PRESET, 5 USER, 2 HRC, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :2100x880x1545mm, MAX.USER WT : 130 Kgs. NET WT : 84 Kgs.		74600
42116	CMTM-K-44 	2.0 HP (4.0 HP PEAK) DC MOTOR, AUTO INCLINE: 0~ 15%, BELT:18x52" , SPEED : 1.0~16 KPH , Mp3, USB, 7" LCD DISPLAY, 25 PROGRAMS,1 MANUAL,3 TARGET, 20 PRESET, 1 BODY FAT, CUSHIONED DOUBLE DECK , FOLDABLE, DIM (LxWxH) :1820x760x1585mm, MAX.USER WT : 120 Kgs. NET WT : 71 Kgs.		65800
42119	CMTM-K-11	1.5 HP (3 HP PEAK) DC MOTOR, 3 LEVEL MANUAL INCLINE,BELT : 16x48" , SPEED: 1.0~10 KPH , 5" LCD DISPLAY, Mp3, 10 PROGRAMS,1 MANUAL,3 TARGET, 6 PRESET, FOLDABLE DIM (LxWxH) :1600x720x1260mm, MAX.USER WT : 90 Kgs. NET WT : 46 Kgs.		37200
RUN Series 				
42120	RUN-2.0	1.5 HP (3.0 HP PEAK) DC MOTOR, AUTO INCLINE : 18%, BELT : 18x50" , SPEED : 1.0~18 KPH , USB, Mp3, SEMI-AUTO LUBRICATION, SPRING SHOCK ABSORPTION , PROGRAM : P1- P12,H1,H2,H3, FAT MODE,LCD DISPLAY, HI-FIDELITY AUDIO,DIM (LxWxH) :1830x770x1370mm, MAX. USER WT : 110 Kgs. NET WT. :68 Kgs.,		61400
NON Motorised				
42133	CTM-510C	4-in-1 MULTI-FUNCTIONAL TREADMILL, BELT 15x47" ,MANUAL INCLINE, FOLDABLE, TWISTER, STEPPER & PUSHUP STAND, DIM (LxWxH):1770x790x1360mm, MAX.USER WT: 100 Kgs. NET WT: 38 Kgs.		24200





CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
ELLIPTICAL CROSSTRAINER				
Commercial				
42628	POWER-790M  <small>Wireless Phone Charger</small>	SELF GENERATOR: LED DISPLAYS : T/R*/D/P/M/C, 7 WINDOWS LED + 1 DOT MATRIX, WIRELESS PHONE CHARGER, 590mm (23") STRIDE , SLOPE RANGE : 0~20 GRADE (15~32 DEGREE), 15 Kgs. FLYWHEEL 1~20 RESISTANCE, DIM: (LxWxH) 2210x710x1660mm, MAX. USER WT: 180 Kgs. ,NET WT: 167 Kgs.		407000
42626	 RE-500 <small>Taiwan</small>	SELF GENERATOR: LED DISPLAYS : T/R*/D/P/M/C, 7 WINDOWS + 1 DOT MATRIX, 533mm(21") STRIDE , 20 LEVEL RESISTANCE, DIM: (LxWxH) 2179x742x1610mm, MAX. USER WT: 160 Kgs. ,NET WT: 119 Kgs.		263800
42601	E-70 <small>Taiwan</small>	SELF GENERATOR: LED DISPLAYS : T/R*/D/P/M/CALORIES, 500mm STRIDE(20") , 14.5 Kgs. FLYWHEEL , 40 RESISTANCE, V-BELT, DIM: (LxWxH) 2060x795x1760mm, MAX. USER WT: 200 Kgs. ,NET WT: 104 Kgs.		231000
42603	CE-80	SELF GENERATOR: LED DISPLAYS:T/R*/D/P/M/C, 500mm STRIDE(20") , 4 HRC, 14.5 Kgs. FLYWHEEL ,V-BELT 1~20 RESISTANCE, 4 PRE-SET, DIM :(LxWxH) 2200x730x1560mm, MAX. USER WT: 200 Kgs. ,NET WT:130 Kgs.		131000
42633	28FE 	SELF GENERATOR, 14 Kgs. 2 WAY INTEGRATED FRONT FLYWHEEL , STRIDE : 460mm(18") , LCD SCREEN, 20 LEVEL TENSION CONTROL, DISPLAYS: T/S/D/P/C//B/R/W, DISK CRANK, BOTTLE HOLDER, BOOK RACK, DIM : (LxWxH) 1890x560x1610mm, MAX. USER WT. : 120 Kgs. , NET WT : 91.5 Kgs.		128700
Semi-Commercial				
42630	CD5E	10 Kgs. MAGNETIC FLYWHEEL , STRIDE : 508mm(20") , 24 LEVEL TENSION, 5" LCD SCREEN, BLUETOOTH , 3 STEP MANUAL INCLINE : 0~15%, METER DISPLAYS: T/S/D/P/C/I, 12 PROGRAMS, HAND PULSE SENSOR, DIM : (LxWxH) 1800x550x850mm, MAX. USER WT. : 130 Kgs. , NET WT : 91 Kgs.		128700
42627	 CNB-9.0ES AT*  <small>Taiwan</small>	DELUXE ELLIPTICAL, 260mm FLYWHEEL 2 WAY , STRIDE : 450mm(18") , 1~20 LEVEL RESISTANCE, 25 PROGRAMS WITH, HRC, 4 USER, 1 BODYFAT METER DISPLAYS: T/S/D/P/C/W/R/R*,V-BELT, 3 PC CRANK, DIM : (LxWxH) 1620x620x1590mm, MAX. USER WT.: 136 Kgs. , NET WT : 76 Kgs.		114500
49001	 FITLUX 5200  <small>Taiwan</small>	DELUXE ELLIPTICAL, 270mm FLYWHEEL , STRIDE: 483mm(19") , 16 MOTORISED RESISTANCE LEVEL, 16 PROGRAMS WITH 3 HRC, 6 PRE-SET, 4 USER, 1 BODYFAT METER DISPLAYS: T/S/D/P/C/W/R/R* DIM : (LxWxH) 2000x640x1660mm, MAX. USER WT.: 140 Kgs. , NET WT : 73 Kgs.		108000
42632	28E 	DELUXE ELLIPTICAL, 10 Kgs. FLYWHEEL , STRIDE : 460mm(18") , LCD SCREEN, 25 LEVEL TENSION CONTROL, DISPLAYS: T/S/D/P/C//B/R/W, 27 PROGRAMS, BOTTLE HOLDER, BOOK RACK DIM : (LxWxH) 2050x700x1730mm, MAX. USER WT. : 120 Kgs. , NET WT : 81 Kgs.		85800

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
ELLIPTICAL CROSSTRAINER				
Semi-Commercial				
42615	EKX-6R	DELUXE ELLIPTICAL BIKE WITH 292mm FLYWHEEL, STRIDE LENGTH : 460mm(18"), 12 PROGRAMS WITH 4 HR, 24 MOTORISED RESISTANCE LEVEL, DISPLAYS: T/S/D/P/C/W/R DIM : (LxWxH) 1707x686x1625mm, MAX. USER WT.: 120 Kgs. , NET WT : 57 Kgs.		83400
Home				
42625	CET-WAVE-850ES	2 WAY 8 Kgs.FLYWHEEL, SEAT, MOTORISED RESISTANCE, DIM :(LxWxH)1560x720x1690mm, NET WT.: 54 Kgs.		54800
42631	CET-77ES	2 WAY FLYWHEEL AND SEAT ,8 LEVEL MAGNETIC RESISTANCE,DIM:(LxWxH) 1320x670x1620mm,NET WT.: 47 Kgs.		40900
42621	CET-E8M 	2 WAY FLYWHEEL, MOTORISED RESISTANCE,POWER ADAPTOR,DIM:(LxWxH)1418x646x1660mm,NET WT.: 38 Kgs.		35000
42623	CET-240ES 	2 WAY FLYWHEEL AND SEAT , LCD DISPLAY, HAND PULSE,DIM :(LxWxH)1370x580x1600mm,NET WT. : 30 Kgs.		28400
42610	CET-80E	2 WAY FLYWHEEL,MANUAL RESISTANCE, SEAT , DIM : (LxWxH) 1150x720x1580mm, NET WT. : 30.5 Kgs.		27500
42619	CET-69ES	2 WAY FLYWHEEL AND SEAT , LCD DISPLAY, HAND PULSE,DIM :(LxWxH)1230x635x1550mm,NET WT. :29 Kgs.		25300
42617	CET-52ES 	2 WAY FLYWHEEL AND SEAT , 8 MANUAL RESISTANCE, DIM : (LxWxH) 1070x600x1540mm, NET WT. : 28 Kgs.		18900
UPRIGHT BIKE				
Commercial				
42345	POWER 290	SELF GENERATOR HYBRID ; 7 WINDOWS LED, 1-40 RESISTANCE, 15 Kgs. FLYWHEEL , MFT FUNCTION, USB, 6 BUILT-IN, 3 USER DIM : (LxWxH) 1200x580x1550mm, MAX. USER WT.: 180 Kgs. , NET WEIGHT : 72 Kgs.		218900
	42300 RU-500	SELF GENERATOR HYBRID ; 7 WINDOWS+DOT MATRIX, 350W-20 RESISTANCE LEVEL, 8 Kgs. FLYWHEEL , ONE WAY PULLEY : Ø300mm,DIM : (LxWxH) 1090x660x1490mm, MAX. USER WT.: 160 Kgs. , NET WEIGHT : 63 Kgs.		182400
Semi-Commercial				
42330	CNB6.0U AT* Taiwan	MAGNETIC RESISTANCE, ,16 LEVEL AUTO ADJ.TENSION,12 PROGRAMS, 7 Kgs. FLYWHEEL ,BACK LIGHT 3 PCS.CRANK, BELT-DRIVE , DIM :(LxWxH) 1220x540x1470mm, MAX. USER WT : 150 Kgs. NET WT : 46 Kgs.		98800
42352	28U 	UPRIGHT BIKE, 9 Kgs.1 WAY FLYWHEEL , 24 LEVEL AUTO TENSION,27 PROGRAMS,12-LEVEL SHORT KEYS 3 PCS CRANK, LED DISPLAY , DIM:(LxWxH)1245×620×1450mm, MAX.USER WT: 120 Kgs. NET WT: 50.5 Kgs.		62500
42341	170U	MAGNETIC RESISTANCE, 6 Kgs. FLYWHEEL , DUAL COLOUR LCD,3 PCS.CRANK,12 PRESET, HRC, Mp3, SPEAKER, BELT-DRIVEN ,DIM:(LxWxH)1120x620x1400mm, MAX.USER WT: 150 Kgs. NET WT: 39 Kgs.		61400

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
UPRIGHT BIKE				
Home				
49004	CEB-JK-7009 <small>Taiwan</small>	JKEXER PROMOTIONAL PRICE SURGE 7009 BIKE, 6 Kgs. MAGNETIC FLYWHEEL, 3 PCS CRANK WITH BEARING, BELT-DRIVE , HAND PULSE		30600
		8 MANUAL TENSION, 131x67mm LCD, DIM: (LxWxH) 1480x535x990mm, MAX. USER WT : 120 Kgs , NET WT. : 32 Kgs.		
42356	CEB-77U	NEW 1 WAY FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE, 3 PCS CRANK, 8 LEVEL MANUAL TENSION		28400
		IPHONE/ IPDA STAND, DIM : (LxWxH) 1040x650x1870mm, MAX. USER WT : 110 Kgs , NET WT. : 28 Kgs.		
42338	CEB-U8M	PROMOTIONAL PRICE 2 WAY FLYWHEEL, 16 LEVEL MAGNETIC RESISTANCE WITH ELECTRONIC CONTROL, BELT-DRIVE ,		26200
		POWER ADAPTOR, LCD DISPLAY, DIM : (LxWxH) 970x600x1380mm, MAX. USER WT : 120 Kgs , NET WT.: 27 Kgs.		
42357	CEB-85U	NEW 2 WAY FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE, PU CONTOUR SEAT WITH SEAT ADJUSTMENTS,		24000
		BIG LCD DISPLAY, DIM : (LxWxH) 910x490x1260mm, MAX. USER WT : 110 Kgs , NET WT. : 24 Kgs.		
42322	CEB-60U	2 WAY FLYWHEEL, MANUAL 8 LEVEL MAGNETIC RESISTANCE, 24 PROGRAMS, 1 PC CRANK, SEAT HEIGHT		20200
		ADJUSTMENTS, PHONE STAND, DIM : (LxWxH) 1370x510x1120mm, MAX. USER WT : 100 Kgs , NET WT.: 25 Kgs.		
42337	CEB-68U	2 WAY FLYWHEEL, PU SEAT, MANUAL 8 LEVEL MAGNETIC RESISTANCE, AVAILABLE IN BLACK		19600
		COLOUR ALSO. DIM : (LxWxH) 797x550x1288mm, MAX. USER WT : 110 Kgs , NET WT. : 20 Kgs.		
42343	CEB-240U	2 WAY FLYWHEEL, 8 LEVEL MAGNETIC RESISTANCE, SEAT HEIGHT ADJUSTMENTS,		18700
		DIM : (LxWxH) 900x500x1350mm, MAX. USER WT : 110 Kgs , NET WT. : 21 Kgs.		
42324	CEB-609C	PROMOTIONAL PRICE ELLIPTICAL BIKE, 470mm(Dia.) FLYWHEEL WITH MOVABLE HANDLE, ADJ. SEAT HEIGHT, DISPLAYS : T/S/D/C,		12100
		TENSION AJDUSTMENTS, DIM : (LxWxH) 940x580x1550mm, MAX. USER WT : 100 Kgs , NET WT. : 25 Kgs.		
42360	CEB-610C	PROMOTIONAL PRICE FAN BIKE, 470mm(Dia.) FLYWHEEL, MOVABLE HANDLE, DISPLAYS: T/S/D/C/, TENSION AJDUSTMENTS, DUAL		11400
		EXERCISES FOR FEET & HAND, DIM: (LxWxH) 1070x565x1150mm, MAX. USER WT : 100 Kgs , NET WT. : 17 Kgs.		
42361	CEB-605	DUAL ACTION AIR BIKE, 445mm(Dia.) FLYWHEEL, MOVABLE HANDLE BAR, DISPLAYS: T/S/D/C/, ADJUSTABLE		9900
		TENSION/ RESISTANCE DIM: (LxWxH) 1130x620x1150mm, MAX. USER WT : 100 Kgs , NET WT. : 17 Kgs.		
AIR BIKE				
Commercial				
42351	CEB-11	NEW DUAL BELT DRIVEN BIKE WITH 6 Kgs. FLYWHEEL AND 24" DIA. PLASTIC FAN , WIRELESS PULSE		70200
		RECEIVER, AIR RESISTANCE & 15 LEVELS ADJ. MAGNETIC RESISTANCE, DISPLAYS : T/S/D/C/W/P/R,		
		BOTTLE HOLDER, DIM : (LXWXH) 1400X610X1260mm, MAX. USER WT. : 100 KGS. , NET WT. : 49 Kgs.		

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
RECUMBENT BIKE				
Commercial				
42346	POWER 390	SELF GENERATOR HYBRID BRAKE; 1~40 ELECTRO MAGNETIC RESISTANCE,7 WINDOWS LED DISPLAY, USB, 15 Kgs.FLYWHEEL, FAULT SELF-INSPECTION, 6 BUILT-IN3 USER, 3 COUNTING PROGRAMS, MFT FUNCTION, AUTO STEP COUNTING, DIM : (LxWxH) 1770x750x1450mm, MAX. USER WT.: 180 Kgs. NET WT. : 72Kgs.		283600
	42306 RR-500 Taiwan	SELF GENERATOR HYBRID BRAKE; 7 WINDOWS+DOT MATRIX, 350W - 20 RESISTANCE LEVEL,9 Kgs. FLYWHEEL ONE WAY PULLEY Ø300mm,6 PRE-SET, 2 CUSTOM PROGRAMS +3 HRC,3 RIDING POSITIONS, QUICK START PROGRAM, DIM : (LxWxH) 1640x750x1240mm, MAX. USER WT.: 160 Kgs. NET WT. : 79 Kgs.		204400
42308	C-1000R AT* Taiwan	FRICTION-FREE MAGNETIC RESISTANCE WITH ADAPTOR, ONE WAY PULLEY : Ø300mm, AUTO TENSION , LED READOUTS, CRANK :3 PCS, DIM :(LxWxH) 1450x620x1280mm, MAX.USER WT.: 150 Kgs. , NET WT.: 47 Kgs.		151600
Semi-Commercial				
42353	28 R 	RECUMBENT BIKE,9 Kgs. 1 WAY FLYWHEEL , 24 LEVEL AUTO TENSION, 27 PROGRAMS, 12-LEVEL SHORT KEYS, 3 PCS CRANK, LED DISPLAY QUICK-RELEASE SEAT SLIDING, COMFORT MESH BACK INCLINE ADJ. DIM:(LxWxH)2010×640×1240mm, MAX.USER WT: 150 Kgs. NET WT: 71 Kgs.		92200
Home				
42339	CEB-R8M	2 WAY FLYWHEEL, SLIDING SEAT ,16 LEVEL MAGNETIC RESISTANCE, 8 LEVEL MANUAL TENSION, POWER ADAPTOR, FLAT BELT, DIM(LxWxH):1500x600x1160mm, MAX.USER WT.: 135 Kgs. , NET WT. :34 Kgs.		45500
42349	CEB-77 R 	2 WAY 5 Kgs.FLYWHEEL, SLIDING SEAT ,8 LEVEL MAGNETIC RESISTANCE, ADJUSTABLE SEAT,MESH BACK LCD DISPLAY, 3 PCS CRANK, DIM (LxWxH):1680x660x1020mm, MAX.USER WT.: 130 Kgs. , NET WT. : 43.5 Kgs.		40700
42318	CEB-70 R	2 WAY FLYWHEEL, SLIDING SEAT , 8 LEVEL RESISTANCE, METER, BIG LCD DISPLAY, DIM (LxWxH):1300x640x1190mm, MAX.USER WT.: 110 Kgs. , NET WT. : 35 Kgs.		29700
ROWING MACHINE				
Commercial				
42800	RX 100 Taiwan	EMS GENERATOR ,24 LEVEL RESISTANCE,43 PROGRAMS;25 PRE-SET,4 HRC,1 WATT,5 USER,ERGOMETER, LCD DISPLAYS:R**/R/T/D/S/C/B*/W/N, DIM:(LxWxH) 2370x500x910mm, MAX.USER WT.: 170 Kgs. ,NET WT.: 43.6 Kgs.		170500
Semi-Commercial				
42801	RX 99 Taiwan	16 LEVEL RESISTANCE,POLAR RECEIVER,16 PROGRAMS; 12 PRE-SET,4 HRC+1 USER,BLUE BACKLIT LCD DISPLAYS: R**/R/T/D/S/C/N, DIM:(LxWxH) 2140x600x740mm, MAX.USER WT: 130 Kgs. , NET WT.: 36 Kgs.		104500
42808	CRW-6018	WATER ROWER , 6 FLUID RESISTANCE, POLAR RECEIVER,16 PROGRAMS :12 PRE SET, 4 HRC,1 USER,VOLUTE SPRING TRANSMISSION, POLAR RECEIVER, DIM :(LxWxH) 2010x515x910mm, MAX.USER WT: 150 Kgs. NET WT.: 35 Kgs.		90200
Home				
45111	CLDE-10	AIR ROWER ,16 LEVEL RESISTANCE,16 PROGRAMS: 12 PRESET, 4 HRC,1 USER, ROBOTIC WELDING, BACKLIT LCD DISPLAYS: T/D/W/C/N, DIM:(LxWxH) 2400x620x1130mm, MAX.USER WT: 130 Kgs. ,NET WT.: 35 Kgs.		72400

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
GROUP CYCLING BIKE				
Commercial				
42348	POWER-980	20 Kgs. ALUMINIUM FLYWHEEL, BELT DRIVEN, AUTOMATIC SPEED CHANGING, SILENT MOTION, MAGNETIC RESISTANCE, DIM : (LxWxH) 1200x580x1550mm, MAX. USER WT : 180 Kgs, NET WT. : 68 Kgs.		136200
42355	REVO-TF5 	BALANCED 20 Kgs. FLYWHEEL, 36 LEVELS RESISTANCE, 21.5 TFT SCREEN WITH APP. DIM : (LxWxH) 1310x535 x1295mm, MAX. USER WT : 150 Kgs, NET WT. : 60 Kgs.		118600
	50013 POWER-880	BALANCED 22 Kgs. CNC FLYWHEEL, 1 Pc. BELT DRIVEN, HIGH STRENGTH AXLE & FOOT PEDAL PRESS TYPE BRAKE, DIM : (LxWxH) 1050x600x1150mm, MAX. USER WT : 180 Kgs, NET WT. : 57 Kgs.		95300
	50014 GYRO-XB06	BALANCED 16 Kgs. FLYWHEEL, MAGNETIC BIKE, 3mm THICKNESS OVAL TUBE CONSTRUCTION, BELT DRIVEN, DIM : (LxWxH) 1225x630x1170mm, MAX. USER WT : 160 Kgs, NET WT. : 70 Kgs.		73300
42354	REVO-F5 	BALANCED 20 Kgs. FLYWHEEL, 36 LEVELS RESISTANCE, LED DISPLAY, TABLET HOLDER, BLUETOOTH WITH APP. DIM : (LxWxH) 1310x535 x1295mm, MAX. USER WT : 150 Kgs, NET WT. : 60 Kgs.		72400
42312	REVO-220	BALANCED 24 Kgs. FLYWHEEL, HIGH GRADE PEDAL, ADJUSTABLE FORWARD AFT. SEAT, RUBBER BELT DRIVEN, DIM : (LxWxH) 1250x600x1150mm, MAX. USER WT : 160 Kgs, NET WT. : 88 Kgs.		68000
42358	REVO-718 	BALANCED 18 Kgs. FLYWHEEL, HIGH GRADE PEDAL, ADJUSTABLE FORWARD AFT. SEAT, RUBBER BELT DRIVEN, DIM : (LxWxH) 1060x240x780mm, MAX. USER WT : 150 Kgs, NET WT. : 56 Kgs.		35000
42359	REVO-713 	BALANCED 13 Kgs. FLYWHEEL, HIGH GRADE PEDAL, ADJUSTABLE FORWARD AFT. SEAT, RUBBER BELT DRIVEN, DIM : (LxWxH) 1100x280x960mm, MAX. USER WT : 150 Kgs, NET WT. : 54 Kgs.		32800
Home				
42314	CGC-60	18 Kgs.(500mm) FLYWHEEL, ARM REST PAD, BICYCLE BEND HANDLE, BELT DRIVE, LCD DISPLAY FRICTION BRAKES, DIM : (LxWxH) 1370x510x1120mm, MAX. USER WT : 120 Kgs, NET WT. : 41 Kgs.		35000
42315	CGC-50	15 Kgs.(470mm) FLYWHEEL, ARM REST PAD, METER, POLY V - BELT DRIVE, FRICTION BRAKES, SEAT ADJUSTMENTS, DIM : (LxWxH) 1270x510x1120mm, MAX. USER WT : 110 Kgs, NET WT. : 35 Kgs.		31900
42340	S8	6 Kgs. FLYWHEEL, MANUAL 8 LEVEL RESISTANCE, BELT DRIVE, LCD DISPLAY, MAGNETIC BIKE STURDY CRANK, DIM : (LxWxH) 1200x610x1250mm, MAX. USER WT : 120 Kgs, NET WT. : 31 Kgs.		31500
STEPPER/ SQUAT MACHINE				
Home				
	42814 JK COMBO 50 	HYDRAULIC DRIVE FOR SMOOTH STEPPING MOTION, ADJ. STEPPING HEIGHT FROM 26°~40°, INTEGRATED WITH SQUAT AND UPPER BODY EXERCISE, 4 LEVELS HEIGHT ADJ. HANDLEBAR, DUAL DISPLAY DIGITAL MONITOR, DIM : (LxWxH) 560x480x1090mm, MAX. USER WT. : 110 KGS., NET WT. : 14 Kgs.		16500

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
MULTI STATION GYM				
Commercial				
44751	CG-600	6 STATIONS, 2 SET 155LBS DEAD STEEL WT., ϕ 8mm COMMERCIAL GRADE AIRCRAFT CABLES,65x65x2.5mm 2.0mmTUBE, ϕ 104mm PULLEY, POWER TOWER, TRICEP EXT, LEG PRESS, PUSH-UP,KNEE RAISE, DIP ARM CHIN UP, SIT UP, DUMBBELL, DIM (LxWxH): 3320x2440x2300mm, MAX. USER WT.: 150 Kgs. NET WT : 356 Kgs.		226600
42815	CHG-408 	4 STATIONS , MAIN BODY+VKR+SIT-UP+LEG PRESS*, 600LBS (4 WT. STACKS x 150 LBS EACH), PEC-DEC, HIGH PULLEY, BUTTERFLY, DIM (LxWxH): 2660x2470x2140mm, MAX. USER WT.: 150 Kgs. NET WT: 459 Kgs.		169200
44752	CG-125	5 STATIONS, 2 SET 145LBS DEAD STEEL WT., 2000LBS TENSILE STRENGTH AIRCRAFT CABLES, 70x50mm STEEL TUBE, POWER STATION, CHIN UP & FOLDABLE SIT UP BENCH,FRONT PRESS & BUTTERFLY, LEG PRESS, DIM (LxWxH): 3140x2440x2300mm, MAX. USER WT.: 150 Kgs. NET WT : 270 Kgs.		154400
MULTI GYM				
Home				
42810	CHG-03	ADJ.SEAT, 210 LBS. PLASTIC WT.STACK WITH FULL COVER, WORKOUTS :- HIGH PULLEY, MID PULLEY, LOW PULLEY, BUTTERFLY ARM,ARM PRESS,LEG EXT.,BOXING BAG, DIPPING,ARM CURL, MULTI BENCH, AB CRUNCH, DIM (LxWxH) : 2090x2640x2220mm, MAX. USER WT.: 150 Kgs., NET WT. : 197 Kgs.		84500
42813	CHG-200C 	DELUXE HOME GYM FOR MULTI-EXERCISES, ADJ.SEAT, 100 Kgs. WT. STACK WITH FULL COVER, ROUND TUBE FRAME, DIM (LxWxH) :1500x1000x2050mm, MAX. USER WT.: 150 Kgs., NET WT. : 178 Kgs.		65800
42812	CHG-180C 	HOME GYM FOR MULTI-EXERCISES, ADJ.SEAT, 100 Kgs. WT. STACK WITH FULL COVER, ROUND TUBE FRAME, DIM (LxWxH) : 1810x1030x2050mm, MAX. USER WT.: 150 Kgs., NET WT. : 142 Kgs.		57000
42809	CHG-160R	MULTI-EXERCISES, ADJUSTABLE SEAT, 150 LBS. PLASTIC CONCRETE WT. STACK, STURDY ROUND TUBE FRAME, DIM (LxWxH) : 1490x1160x2105mm, MAX. USER WT.: 140 Kgs., NET WT. : 117 Kgs.		41100
STAIR CLIMBER				
Commercial				
42298	POWER 580	SELF GENERATOR; 7 WINDOWS LED DISPLAY, ERGONOMIC HANDLE WITH QUICK FINGERTIP CONTROL, 15 KGS.FLYWHEEL, INTELLIGENT HEART RATE MONITORING, FEATURE LIGHT BELT / SELF FAULT DETECTION SYSTEM, USB CHARGING, 220 SPEED ELECTRIC CONTROL RESISTANCE CONTROL, MUTE MAGNETIC WHEEL, DIM : (LxWxH) 1770x750x1450mm, MAX. USER WT.: 180 KGS. NET WT. : 108Kgs.		318800
42297	CTZ-007 	COMMERCIAL STAIR CLIMBER WITH SPEED : 24 STEPS/ MINUTES ~ 16 STEPS/ MINUTES MULTI WINDOW LED DISPLAY, STAIR DEPTH - 235mm/ HEIGHT - 205mm/ WIDTH - 555mm IDEAL TOTAL BODY TRAINING TOOL. BURN MORE CALORIES PER MINUTE THAN JOGGING, DIM: (LxWxH) 1390x727x1953mm, MAX. USER WT : 180 KGS., NET WT. : 165 Kgs..		162800









CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
WEIGHT MACHINES-SINGLE STATION					
MAGNUM Series Silver Frame , Black Cushion					
44500	CE-3001	PRONE LEG CURL	W/94 Kgs., DIM.(LxWxH) : 1650x955x1630mm	NET WT : 205 Kgs.	120800
44501	CE-3002	LEG EXTENSION	W/110 Kgs., DIM.(LxWxH) : 1550x1030x1630mm	NET WT : 230 Kgs.	120800
44502	CE-3003	LEG PRESS	W/109 Kgs., DIM.(LxWxH) : 2090x1040x1630mm	NET WT : 250 Kgs.	120800
44547	CE-3005	LATERAL RAISE	W/52 Kgs., DIM.(LxWxH) : 1135x1150x1630mm	NET WT : 173 Kgs.	120800
44503	CE-3006	SHOULDER PRESS	W/110 Kgs., DIM.(LxWxH) : 1830x1330x1630mm	NET WT : 236 Kgs.	120800
44505	CE-3008	VERTICAL PRESS	W/110 Kgs., DIM.(LxWxH) : 1483x1059x1814mm	NET WT : 242 Kgs.	120800
44507	CE-3013	INCLINE PRESS	W/110 Kgs., DIM.(LxWxH) : 2190x1460x1630mm	NET WT : 269 Kgs.	120800
44508	CE-3023	SEATED LEG CURL	W/110 Kgs., DIM.(LxWxH) : 1460x1080x1630mm	NET WT : 245 Kgs.	120800
44509	CE-3030	BICEPS CURL	W/65 Kgs., DIM.(LxWxH) : 1280x940x1630mm	NET WT : 165 Kgs.	120800
44510	CE-3033	LONG PULL	W/110 Kgs., DIM.(LxWxH) : 1800x1330x2040mm	NET WT : 215 Kgs.	120800
44548	CE-3034	VERTICAL ROW	W/95 Kgs., DIM.(LxWxH) : 1550x1320x1600mm	NET WT : 227 Kgs.	120800
44511	CE-3035	PULL DOWN	W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm	NET WT : 248 Kgs.	120800
NITRO Series Silver Frame , Black Cushion					
44515	CE-5001	PRONE LEG CURL	W/94 Kgs., DIM.(LxWxH) : 1800x970x1500mm	NET WT : 205 Kgs.	135000
44516	CE-5002	LEG EXTENSION	W/109 Kgs., DIM.(LxWxH) : 1400x1050x1500mm	NET WT : 214 Kgs.	135000
44517	CE-5003	LEG PRESS	W/109 Kgs., DIM.(LxWxH) : 1850x1050x1500mm	NET WT : 255 Kgs.	135000
44518	CE-5006	SHOULDER PRESS	W/109 Kgs., DIM.(LxWxH) : 1900x1350x1500mm	NET WT : 231 Kgs.	135000
44520	CE-5008	VERTICAL PRESS	W/109 Kgs., DIM.(LxWxH) : 1400x1350x1500mm	NET WT : 214 Kgs.	135000
44522	CE-5023	SEATED LEG CURL	W/109 Kgs., DIM.(LxWxH) : 1580x1050x1500mm	NET WT : 220 Kgs.	135000
44523	CE-5030	BICEPS CURL	W/94 Kgs., DIM.(LxWxH) : 1500x1300x1500mm	NET WT : 194 Kgs.	135000
44524	CE-5034	VERTICAL ROW	W/94 Kgs., DIM.(LxWxH) : 1500x1300x1500mm	NET WT : 194 Kgs.	135000
44525	CE-5035	PULL DOWN	W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm	NET WT : 248 Kgs.	135000
ELITE Series Black Frame , Black Cushion 					
44568	CJN-3001	PRONE LEG CURL	W/80 Kgs., DIM.(LxWxH) : 1660x950x1500mm	NET WT : 190 Kgs.	103200
44569	CJN-3002	LEG EXTENSION	W/80 Kgs., DIM.(LxWxH) : 1540x1030x1550mm	NET WT : 200 Kgs.	103200
44570	CJN-3003	LEG PRESS	W/94 Kgs., DIM.(LxWxH) : 2090x1035x1550mm	NET WT : 235 Kgs.	103200
44571	CJN-3005	LATERAL RAISE	W/52 Kgs., DIM.(LxWxH) : 1015x1135x1550mm	NET WT : 173 Kgs.	103200
44572	CJN-3008	VERTICAL PRESS	W/80 Kgs., DIM.(LxWxH) : 1483x1060x1800mm	NET WT : 210 Kgs.	103200
44573	CJN-3011	MULTI HIP	W/80 Kgs., DIM.(LxWxH) : 1050x1310x1550mm	NET WT : 255 Kgs.	103200
44578	CJN-3012	LAT PULL DOWN	W/80 Kgs., DIM.(LxWxH) : 1880x1210x2330mm	NET WT : 190 Kgs.	103200
44574	CJN-3018	ROTARY TORSO	W/65 Kgs., DIM.(LxWxH) : 1110x1140x1550mm	NET WT : 169 Kgs.	103200
44575	CJN-3023	SEATED LEG CURL	W/80 Kgs., DIM.(LxWxH) : 1645x1065x1550mm	NET WT : 215 Kgs.	103200
44576	CJN-3028	TRICEP EXTENSION	W/49 Kgs., DIM.(LxWxH) : 1145x940x1550mm	NET WT : 148 Kgs.	103200
44577	CJN-3030	BICEPS CURL	W/49 Kgs., DIM.(LxWxH) : 1280x940x1550mm	NET WT : 148 Kgs.	103200

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
WEIGHT MACHINES-DUAL STATIONS					
MAGNUM Series Silver Frame , Black Cushion					
44504	CE-3007	PEC FLY/ REAR DELT	W/110 Kgs., DIM.(LxWxH) : 1240x990x2110mm	NET WT : 249 Kgs.	127400
44506	CE-3009	DIP/ CHIN ASSIST	W/88 Kgs., DIM.(LxWxH) : 1550x1370x2360mm	NET WT : 253 Kgs.	127400
44549	CE-3084	CHEST/ SHOULDER PRESS	W/110 Kgs., DIM.(LxWxH) : 1755x1380x1630mm	NET WT : 297 Kgs.	127400
44550	CE-3085	LAT PULL/ ROW	W/110 Kgs., DIM.(LxWxH) : 1970x1350x2240mm	NET WT : 262 Kgs.	127400
44551	CE-3086	LEG EXT. / LEG CURL	W/110 Kgs., DIM.(LxWxH) : 1650x1030x1630mm	NET WT : 272 Kgs.	127400
44554	CE-3087	BICEP/ TRICEP	W/110 Kgs., DIM.(LxWxH) : 1430x1000x1630mm	NET WT : 262 Kgs.	127400
44552	CE-3088	AB/ BACK	W/110 Kgs., DIM.(LxWxH) : 1600x990x1630mm	NET WT : 261 Kgs.	127400
44553	CE-3089	ABDUCTOR/ ADDUCTOR	W/110 Kgs., DIM.(LxWxH) : 1550x860x1350mm	NET WT : 245 Kgs.	127400
NITRO Series Silver Frame , Black Cushion					
44519	CE-5007	PEC FLY/ REAR DELT	W/110 Kgs., DIM.(LxWxH) : 1860x1310x2020mm	NET WT : 273 Kgs.	140600
44521	CE-5009	DIP/ CHIN ASSIST	W/99 Kgs., DIM.(LxWxH) : 1625x1070x2250mm	NET WT : 330 Kgs.	140600
44556	CE-5084	CHEST/ SHOULDER PRESS	W/110 Kgs., DIM.(LxWxH) : 1755x1450x1510mm	NET WT : 261 Kgs.	140600
44550	CE-3085	LAT PULL/ ROW	W/110 Kgs., DIM.(LxWxH) : 1970x1350x2240mm	NET WT : 262 Kgs.	127400
44557	CE-5086	LEG EXT./ LEG CURL	W/110 Kgs., DIM.(LxWxH) : 1650x1100x1510mm	NET WT : 261 Kgs.	140600
44558	CE-5087	BICEP/ TRICEP	W/110 Kgs., DIM.(LxWxH) : 1430x1070x1510mm	NET WT : 239 Kgs.	140600
44559	CE-5088	AB/ BACK	W/110 Kgs., DIM.(LxWxH) : 1600x1060x1510mm	NET WT : 260 Kgs.	140600
44560	CE-5089	ABDUCTOR/ ADDUCTOR	W/110 Kgs., DIM.(LxWxH) : 1065x1200x1513mm	NET WT : 246 Kgs.	140600
ELITE Series Black Frame , Black Cushion 					
44579	CJN-3007	REAR DELT/ REAR FLY	W/80 Kgs., DIM.(LxWxH) : 1310x1220x2011mm	NET WT : 200 Kgs.	109800
44580	CJN-3009	DIP CHIN / ASSIST	W/88 Kgs., DIM.(LxWxH) : 1550x1370x2360mm	NET WT : 253 Kgs.	109800
44581	CJN-3021	ABDUCTOR/ADDUCTOR	W/80 Kgs., DIM.(LxWxH) : 1550x925x1550mm	NET WT : 223 Kgs.	109800
44582	CJN-3084	CHEST / SHOULDER PRESS	W/80 Kgs., DIM.(LxWxH) : 1730x1440x1550mm	NET WT : 226 Kgs.	109800
44583	CJN-3085	LAT & PULLEY MACHINE	W/80 Kgs., DIM.(LxWxH) : 1975x1370x2230mm	NET WT : 195 Kgs.	109800
44584	CJN-3086	LEG EXTENSION / CURL	W/80 Kgs., DIM.(LxWxH) : 1490x1020x1550mm	NET WT : 225 Kgs.	109800
44585	CJN-3087	BICEP/ TRICEPS	W/80 Kgs., DIM.(LxWxH) : 1320x1065x1550mm	NET WT : 195 Kgs.	109800
44586	CJN-3088	AB/ BACK EXTENSION	W/80 Kgs., DIM.(LxWxH) : 1550x1090x1550mm	NET WT : 215 Kgs.	109800
MAGNUM NITRO ELITE Series : Frame : 50x100mm Thickness of Steel : 2.5mm Seat : Material : High Density P.U. Cable : 6.0mm					

STRENGTH EQUIPMENTS

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
SPL.PLATE LOADED					
STEALTH Series Silver Frame , Black Cushion 					
45115	CD-601-G02	BELT SQUAT	DIM.(LxWxH) : 2055x1690x1460mm	NET WT : 182 Kgs.	139500
45114	CD-602	POWER SMITH MACHINE (Dual)	DIM.(LxWxH) : 1880x2010x1750mm	NET WT : 165 Kgs.	130900
44116	CD-607	DOUBLE DEADLIFT	DIM.(LxWxH) : 1870x2045x500mm	NET WT : 103 Kgs.	115100
45118	CD-610	CIRCULAR LAT PULL DOWN	DIM.(LxWxH) : 1930x1860x2060mm	NET WT : 195 Kgs.	115100
44117	CD-608	CHEST BUTTERFLY	DIM.(LxWxH) : 1570x1630x970mm	NET WT : 105 Kgs.	96800
45126	CA-615	PRECISION CHEST PRESS	DIM.(LxWxH) : 1460x2060x1675mm	NET WT : 210 Kgs.	195800
45119	CA-601	POWER SQUAT	DIM.(LxWxH) : 1560x1865x1560mm	NET WT : 235 Kgs.	151400
45129	CA-616	VERTICAL LEG PRESS	DIM.(LxWxH) : 2010x3140x2050mm	NET WT : 280 Kgs.	126900
45124	CA-611	INCLINE LINEAR ROW	DIM.(LxWxH) : 1710x910x1210mm	NET WT : 147 Kgs.	96100
45123	CA-610	PENDULUM SQUAT	DIM.(LxWxH) : 2430x1410x1670mm	NET WT : 205 Kgs.	92400
45113	CA-606	GLUTE BRIDGE BENCH	DIM.(LxWxH) : 1930x1400x515mm	NET WT : 117 Kgs.	85800
45128	CA-617	STANDING T-BAR ROW	DIM.(LxWxH) : 2085x995x910mm	NET WT : 100 Kgs.	85100
45125	CA-613	REVERSE HYPER EXTENSION	DIM.(LxWxH) : 1550x1400x1230mm	NET WT : 105 Kgs.	83600
45112	CA-605L	STANDING HIP THRUST	DIM.(LxWxH) : 1303x1590x1440mm	NET WT : 95 Kgs.	79200
45127	CA-612	INCLINE FLY	DIM.(LxWxH) : 1650x1050x790mm	NET WT : 68 Kgs.	75200
PLATE LOADED					
CANNON II Series Black/Yellow Frame , Black Cushion 					
44810	CTG-05D	CHEST PRESS	DIM.(LxWxH) : 1500x1200x1715mm	NET WT : 162 Kgs.	105400
44811	CTG-15D	INCLINE CHEST PRESS	DIM.(LxWxH) : 1540x1030x1685mm	NET WT : 197 Kgs.	105400
44812	CTG-20D	PULL DOWN	DIM.(LxWxH) : 1110x1740x1990mm	NET WT : 198 Kgs.	105400
44813	CTG-25D	LOW ROW	DIM.(LxWxH) : 1570x1290x1630mm	NET WT : 190 Kgs.	105400
44814	CTG-30D	INCLINE LEVEL ROW	DIM.(LxWxH) : 1190x1380x1300mm	NET WT : 137 Kgs.	105400
44815	CTG-35D	SHOULDER PRESS	DIM.(LxWxH) : 1290x1260x1485mm	NET WT : 146 Kgs.	105400
44816	CTG-40D	REAR KICK	DIM.(LxWxH) : 1115x1330x1650mm	NET WT : 102 Kgs.	105400
44817	CTG-60D	LEG EXTENSION	DIM.(LxWxH) : 1250x1250x1170mm	NET WT. : 135 Kgs.	105400
44818	CTG-65D	SEATED DIP	DIM.(LxWxH) : 1590x1385x970mm	NET WT. : 140 Kgs.	105400
44819	CTG-70D	BICEP CURL	DIM.(LxWxH) : 1055x900x1000mm	NET WT. : 140 Kgs.	105400
CANNON I Series Black/Yellow Frame , Black Cushion 					
44802	CTG-20	PULL DOWN	DIM.(LxWxH) : 1810x1160x1925mm	NET WT : 128 Kgs.	79000
44804	CTG-30	INCLINE LEVEL ROW	DIM.(LxWxH) : 1440x1390x1300mm	NET WT : 148 Kgs.	79000
44806	CTG-40	REAR KICK	DIM.(LxWxH) : 1490x1130x1610mm	NET WT : 120 Kgs.	79000
44807	CTG-60	TRICEPS	DIM.(LxWxH) : 1700x1450x1030mm	NET WT. : 175 Kgs.	79000
44808	CTG-65	BICEPS	DIM.(LxWxH) : 1060x1630x950mm	NET WT. : 160 Kgs.	79000
44809	CTG-70	LEG EXTENSION	DIM.(LxWxH) : 1250x1345x1185mm	NET WT. : 160 Kgs.	79000

STRENGTH EQUIPMENTS

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)	
CABLE CROSSOVER FUNCTIONAL TRAINER						
44514	CE-1801	TRANSFORM XT	W/68x2 Kgs., DIM.(LxWxH) : 1840x1600x2410mm	NET WT : 350 Kgs.	473000	
44044	CTB-89E 	FUNCTIONAL TRAINER (3-in-1) RACK + SMITH MACHINE	W/100x2 Kgs.,DIM.(LxWxH) : 2380x1940x2300mm	NET WT. : 480 Kgs.	327800	
44043	CTB-89A 	FUNCTIONAL TRAINER (2-in-1) RACK	W/80x2 Kgs.,DIM.(LxWxH) : 1940x1680x2300mm	NET WT. : 420 Kgs.	217800	
44512	CE-3016	ADJ. CABLE CROSSOVER	W/100x2 Kgs., DIM.(LxWxH) : 4470x1090x2310mm	NET WT: 396 Kgs.	197300	
44513	CE-1017	FUNCTIONAL TRAINER	W/100x2 Kgs., DIM.(LxWxH) : 1050x1760x2250mm	NET WT : 345 Kgs.	197300	
44003	CTB-15	ADJ. CABLE CROSSOVER	W/100x2 Kgs., DIM.(LxWxH) : 4470x1090x2310mm	NET WT. : 396 Kgs.	191400	
44004	CTB-17	FUNCTIONAL TRAINER	W/100x2 Kgs.,DIM.(LxWxH) : 1050x1760x2250mm	NET WT. : 345 Kgs.	191400	
POWER RACK						
	53252	XPL2002+XPL 202	T-PLATFORM+HALF POWER RACK	DIM.(LxWxH) : 3200x3000x2500mm	NET WT : 553 Kgs.	567600
53254	XPL 204 	FULL POWER RACK	DIM.(LxWxH) : 1400x2100x2500mm	NET WT : 351 Kgs.	429000	
53293	XPL 202 	HALF POWER RACK	DIM.(LxWxH) : 1400x1500x2500mm	NET WT : 235 Kgs.	277200	
44546	CJN-2063B 	SMITH+RACK COMBO W/COUNTER BALANCE	DIM.(LxWxH) : 1835x2210x2190mm	NET WT : 260 Kgs.	207900	
44546	CE-6221	HALF RACK	DIM.(LxWxH) : 1735x1800x2465mm	NET WT : 255 Kgs.	184800	
SPECIAL MACHINES						
45104	CTS-114	MULTI-FUNCTIONAL TRAINER W/200 Kgs.	DIM.(LxWxH) : 1800x2230x2290mm	NET WT : 368 Kgs.	312400	
45102	CDZ-29	MULTI-TRAINER	DIM.(LxWxH) : 2195x1350x1620mm	NET WT : 160 Kgs.	158400	
45103	CTC-74	SHOULDER PRESS TRAINER	DIM.(LxWxH) : 1400x1560x1660mm	NET WT : 176 Kgs.	158400	
44567	CAM-001 	ELECTRIC GYM BED	DIM.(LxWxH) : 1900x720x600mm	NET WT : 100 Kgs.	252800	
44609	CE6245 	TRIPLE STORAGE RACK	DIM.(LxWxH) : 4060x490x2360mm	NET WT : 393 Kgs.	195600	
44610	CE6248 	DOUBLE STORAGE RACK	DIM.(LxWxH) : 2750x490x2360mm	NET WT : 240 Kgs.	136200	
	53256	PL-1006	LAT PULL DOWN (PLATE LOADED)	DIM.(LxWxH) : 1725x1280x1980mm	NET WT : 184 Kgs.	132000
45100	CDZ-02	TYRE FLIP MACHINE	DIM.(LxWxH) : 1630x1200x580mm	NET WT : 145 Kgs.	92200	
45101	CJF	ABDOMINAL COAST	DIM.(LxWxH) : 1710x720x1450mm	NET WT : 35 Kgs.	64700	
44045	DZ61 	MULTI FUNCTION BENCH (FID)	DIM.(LxWxH) : 1570x680x490mm	NET WT : 52 Kgs.	59400	
45108	ES-7011	MULTI-BENCH (FI)	DIM.(LxWxH) : 1440x525x489mm	NET WT : 34 Kgs.	35000	
45122	CRS9 	9 HOLE ROD STAND	DIM.(LxWxH) : 1710x720x1450mm	NET WT : 35 Kgs.	7700	
CROSSFIT TRAINER Maroon Red Frame , Black Cushion						
	50759	XTM-6404	3.0mm THICK STEEL TUBE,CIRCUIT TRAINING, FUNCTIONAL TRAINING, BOXING TRAINING,OVER 8 STATIONS,		638000	
CAN TARGET YOUR ENTIRE BODY, WT.STACKS : 2x100 Kgs.,DIM(LxWxH):4200x3200x2800mm, NET WT:850 Kgs.						

STRENGTH EQUIPMENTS

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
NON WEIGHT MACHINES					
MAGNUM-NITRO Series Silver Frame , Black Cushion					
44526	CE-3036	FLAT BENCH	DIM.(LxWxH) : 1350x760x430mm	NET WT : 30 Kgs.	24000
44527	CE-3037	ADJUSTABLE DECLINE BENCH	DIM.(LxWxH) : 1620x760x810mm	NET WT : 54 Kgs.	43800
44528	CE-3038	MULTI-PURPOSE UTILITY BENCH	DIM.(LxWxH) : 1170x760x920mm	NET WT : 27 Kgs.	24000
44529	CE-3039	SUPER BENCH	DIM.(LxWxH) : 1620x760x810mm	NET WT : 41 Kgs.	48200
44530	CE-3041	OLYMPIC DECLINE BENCH	DIM.(LxWxH) : 2060x1780x1090mm	NET WT : 83 Kgs.	60300
44531	CE-3042	OLYMPIC INCLINE BENCH	DIM.(LxWxH) : 2010x1780x1400mm	NET WT : 87 Kgs.	65800
44532	CE-3043	OLYMPIC FLAT BENCH	DIM.(LxWxH) : 1730x1780x1220mm	NET WT. : 66 Kgs.	55000
44533	CE-3044	SEATED PREACHER CURL	DIM.(LxWxH) : 1320x840x970mm	NET WT. : 49 Kgs.	52400
44534	CE-3045	BACK EXTENSION	DIM.(LxWxH) : 1220x860x960mm	NET WT : 64 Kgs.	42500
44535	CE-3047	VERTICAL KNEES UP DIP	DIM.(LxWxH) : 1270x710x1600mm	NET WT : 77 Kgs.	55700
44536	CE-3048	POWER CAGE	DIM.(LxWxH) : 1570x1240x2340mm	NET WT : 128 Kgs.	101600
44537	CE-3050	SQUAT RACK	DIM.(LxWxH) : 1850x1730x1800mm	NET WT : 122 Kgs.	74800
44538	CE-3054	VERTICAL PLATE TREE	DIM.(LxWxH) : 610x580x1240mm	NET WT : 30 Kgs.	28600
44539	CE-3056	ANGLED LEG PRESS	DIM.(LxWxH) : 2210x1630x1350mm	NET WT : 266 Kgs.	169800
44540	CE-3057	HACK SQUAT	DIM.(LxWxH) : 2240x1260x1260mm	NET WT : 196 Kgs.	169800
44541	CE-3061	INCLINE LEVEL ROW	DIM.(LxWxH) : 1850x790x1190mm	NET WT : 90 Kgs.	52800
44542	CE-3062	SEATED CALF	DIM.(LxWxH) : 1500x710x990mm	NET WT : 75 Kgs.	45100
44543	CE-3063	SMITH MACHINE	DIM.(LxWxH) : 1420x2210x2360mm	NET WT : 289 Kgs.	158200
44544	CE-3065	SUPER SQUAT	DIM.(LxWxH) : 2010x1630x1470mm	NET WT : 196 Kgs.	142300
44545	CE-3077	2 TIER DUMBBELL RACK	DIM.(LxWxH) : 720x2480x810mm	NET WT : 68 Kgs.	42500
44546	CE-3082	AB TRAINER	DIM.(LxWxH) : 1735x1800x2465mm	NET WT : 255 Kgs.	61600



STRENGTH EQUIPMENTS

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
NON WEIGHT MACHINES					
CTB Series Silver Frame , Black Cushion					
44010	CTB-36	FLAT BENCH	DIM.(LxWxH) : 1420x570x430mm	NET WT : 36 Kgs.	19800
44011	CTB-37	ADJUSTABLE DECLINE BENCH	DIM.(LxWxH) : 1660x670x770mm	NET WT : 48 Kgs.	49500
44012	CTB-38	UTILITY /MULTI PURPOSE BENCH	DIM.(LxWxH) : 1200x670x820mm	NET WT : 28 Kgs.	21500
44013	CTB-39	SUPER BENCH	DIM.(LxWxH) : 1400x670x440mm	NET WT : 45 Kgs.	38100
44014	CTB-41	OLYMPIC DECLINE BENCH	DIM.(LxWxH) : 2060x1660x1220mm	NET WT : 78 Kgs.	52800
44015	CTB-42	OLYMPIC INCLINE BENCH	DIM.(LxWxH) : 1980x1660x1400mm	NET WT : 82 Kgs.	52800
44016	CTB-43	OLYMPIC FLAT BENCH	DIM.(LxWxH) : 1670x1660x1230mm	NET WT : 61 Kgs.	49500
44017	CTB-44	SEATED PREACHER CURL	DIM.(LxWxH) : 1340x780x940mm	NET WT : 46 Kgs.	42900
44018	CTB-45	BACK EXTENSION	DIM.(LxWxH) : 1130x920x750mm	NET WT : 45 Kgs.	42900
44019	CTB-47	VERTICAL KNEES UP DIP	DIM.(LxWxH) : 1170x750x1600mm	NET WT : 69 Kgs.	66000
44020	CTB-48	POWER CAGE	DIM.(LxWxH) : 1480x1330x2290mm	NET WT : 135 Kgs.	79200
44021	CTB-50	SQUAT RACK	DIM.(LxWxH) : 1780x1680x1790mm	NET WT : 95 Kgs.	66000
44022	CTB-54	PLATE TREE VERTICAL	DIM.(LxWxH) : 580x650x1290mm	NET WT : 25 Kgs.	19800
44041	CTB-56 	45 DEGREE LEG PRESS	DIM.(LxWxH) : 2190x1640x1260mm	NET WT : 215 Kgs.	165000
44008	CTB-59	LEG PRESS HACK SQUAT	DIM.(LxWxH) : 2370x1640x1450mm	NET WT. : 254 Kgs.	191400
44023	CTB-61	INCLINE LEVEL ROW	DIM.(LxWxH) : 1800x1000x1160mm	NET WT : 60 Kgs.	49500
44024	CTB-62	SEATED CALF	DIM.(LxWxH) : 1460x630x1000mm	NET WT : 53 Kgs.	61600
44025	CTB-63	SMITH MACHINE	DIM.(LxWxH) : 1450x2200x2200mm	NET WT : 284 Kgs.	158400
44026	CTB-65	SUPER SQUAT	DIM.(LxWxH) : 1990x1640x1450mm	NET WT : 196 Kgs.	134000
44040	CTB-49	DUMBBELL RACK (2 Tier)	DIM.(LxWxH) : 2480x750x805mm	NET WT. : 66 Kgs.	46200
44027	CTB-67	BEAUTY DUMBBELL(3 Tier)	DIM.(LxWxH) : 1690x650x1010mm	NET WT. : 69 Kgs.	46200
44038	CTB-70	ABDOMINAL CRUNCH MACHINE	DIM.(LxWxH) : 1530x890x980mm	NET WT. : 60 Kgs.	57600
44039	CTB-71	STRETCH MACHINE	DIM.(LxWxH) : 1450x520x1150mm	NET WT. : 46 Kgs.	63600
44036	CTB-73	3D SMITH MACHINE	DIM.(LxWxH) : 2220x2190x2270mm	NET WT. : 265 Kgs.	165000
44028	CTB-86	FID BENCH + RACK (3in1)	Bench : DIM.(LxWxH) : 1040x1770x1390mm Stand : DIM.(LxWxH) : 1600x760x580mm	NET WT. : 140 Kgs.	82500
44029	CTB-87	SMITH WITH HACK SQUAT	DIM.(LxWxH) : 2240x1935x2190mm	NET WT : 362 Kgs.	231000
44037	CTM-92	SISSY SQUAT	DIM.(LxWxH) : 1005x560x510mm	NET WT. : 42 Kgs.	26400
44045	DZ61 	MULTI FUNCTION BENCH (FID)	DIM.(LxWxH) : 1570x680x490mm	NET WT : 52 Kgs.	59400

STRENGTH EQUIPMENTS

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
NON WEIGHT MACHINES					
		ELITE Series	Black Frame , Black Cushion		
44587	CU3056B	ANGLED LEG PRESS	DIM.(LxWxH) : 2170x1610x1260mm	NET WT : 243 Kgs.	169800
44588	CU3057B	HACK SQUAT	DIM.(LxWxH) : 2230x1630x1270mm	NET WT : 183 Kgs.	169800
44589	CU3061B	INCLINE LEVEL ROW	DIM.(LxWxH) : 1850x790x1190mm	NET WT : 74 Kgs.	52800
44590	CU3062B	SEATED CALF	DIM.(LxWxH) : 1500x710x990mm	NET WT : 57 Kgs.	45100
44591	CU3063B	SMITH MACHINE	DIM.(LxWxH) : 1090x2180x2320mm	NET WT : 258 Kgs.	158200
44592	CJN2063B	SMITH COMBO RACK	DIM.(LxWxH) : 1835x2210x2190mm	NET WT : 260 Kgs.	207900
44593	CJN2036B	FLAT BENCH	DIM.(LxWxH) : 1270x610x412mm	NET WT : 14 Kgs.	17200
44594	CJN2037B	ADJ. DECLINE BENCH	DIM.(LxWxH) : 1685x685x685mm	NET WT : 31 Kgs.	31500
44595	CJN2038B	MULTI PURPOSE BENCH	DIM.(LxWxH) : 860x686x795mm	NET WT : 14 Kgs.	17200
44596	CJN2039B	SUPER BENCH	DIM.(LxWxH) : 1330x686x455mm	NET WT : 25 Kgs.	34300
44597	CJN2041B	OLYMPIC DECLINE BENCH	DIM.(LxWxH) : 2060x1780x1090mm	NET WT : 50 Kgs.	42900
44598	CJN2042B	OLYMPIC INCLINE BENCH	DIM.(LxWxH) : 1730x1775x1405mm	NET WT : 57 Kgs.	47100
44599	CJN2043B	OLYMPIC FLAT BENCH	DIM.(LxWxH) : 1690x1775x1235mm	NET WT : 46 Kgs.	39400
44600	CJN2044B	SEATED PREACHER CURL	DIM.(LxWxH) : 1235x1225x945mm	NET WT : 32 Kgs.	34300
44601	CJN2045B	BACK EXTENSION	DIM.(LxWxH) : 1210x885x650mm	NET WT : 33 Kgs.	28600
44602	CJN2047B	VERTICAL KNEES UP/DIP	DIM.(LxWxH) : 1140x750x1590 mm	NET WT : 44 Kgs.	36500
44603	CU3054B	VERTICAL PLATE TREE	DIM.(LxWxH) : 610x580x1240mm	NET WT : 30 Kgs.	29500
44604	CU3067B	3 TIER DUMBBELL RACK	DIM.(LxWxH) : 1450x650x1000mm	NET WT : 75 Kgs.	39600
44605	CU3077B	2 TIER DUMBBELL RACK	DIM.(LxWxH) : 720x2480x810mm	NET WT : 68 Kgs.	42500
44606	CU3070B	ABDOMINAL TRAINER	DIM.(LxWxH) : 1540x920x1030mm	NET WT : 68 Kgs.	54800
44607	CU3071B	STRETCH TRAINER	DIM.(LxWxH) : 1430x530x1210mm	NET WT : 52 Kgs.	61400
44608	CU6236B	8 BARBELL STORAGE BASE	DIM.(LxWxH) : 740x670x210mm	NET WT : 35 Kgs.	49800

STRENGTH EQUIPMENTS




CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
WEIGHT MACHINES					
		CFE Series Silver Frame , Black Cushion			
43001	CFE-9702	LAT PULL DOWN	W/235 LBS, DIM.(LxWxH) : 1305x1230x2010mm	NET WT : 177 Kgs.	385000
43002	CFE-9703	ARM CURL	W/235 LBS, DIM.(LxWxH) : 1150x1567x1490mm	NET WT : 169 Kgs.	418000
43003	CFE-9705	LEG EXTENSION	W/235 LBS, DIM.(LxWxH) : 1300x1240x1490mm	NET WT : 169 Kgs.	391600
43004	CFE-9706	SEATED LEG CURL	W/235 LBS, DIM.(LxWxH) : 1242x1541x1490mm	NET WT : 183 Kgs.	418000
43005	CFE-9710	LEG PRESS	W/235 LBS, DIM.(LxWxH) : 1785x1350x1490mm	NET WT : 279 Kgs.	572000
43006	CFE-9712	SHOULDER PRESS	W/235 LBS, DIM.(LxWxH) : 1385x1210x1490mm	NET WT : 141 Kgs.	396000
43007	CFE-9715	PEC FLY REAR DELT	W/235 LBS, DIM.(LxWxH) : 1296x1758x1490mm	NET WT : 160 Kgs.	391600
43008	CFE-9719	ROW	W/235 LBS, DIM.(LxWxH) : 2000x1130x1490mm	NET WT : 174 Kgs.	402600
43009	CFE-9720	WT.ASSISTSTED CHIN/DIP COMBO	W/235 LBS, DIM.(LxWxH) : 1750x1380x2200mm	NET WT : 243 Kgs.	470800
NON WEIGHT MACHINES					
		IE Series Silver Frame , Black Cushion			
43010	CIE-7001B	SMITH MACHINE	DIM.(LxWxH) : 2241x1326x2370mm	NET WT : 178 Kgs.	303600
43011	CIE-7003C	AB CRUNCH	DIM.(LxWxH) : 1745x936x997mm	NET WT : 57 Kgs.	74600
43012	CIE-7004B	STRETCH	DIM.(LxWxH) : 1274x552x997mm	NET WT : 35 Kgs.	45500
43013	CIE-7006C	LEG PRESS HACK SQUAT	DIM.(LxWxH) : 2253x975x1475mm	NET WT : 166 Kgs.	233200
43014	CIE-7007B	MULTI-HYPER EXTENSION	DIM.(LxWxH) : 1312x749x914mm	NET WT : 43 Kgs.	66000
43015	CIE-7009B	FLAT BENCH	DIM.(LxWxH) : 1200x781x1515mm	NET WT : 53 Kgs.	34500
43016	CIE-7011C	MULTI-ADJUSTABLE BENCH	DIM.(LxWxH) : 1212x750x465mm	NET WT : 40 Kgs.	55700
43017	CIE-7014B	FLAT BENCH PRESS	DIM.(LxWxH) : 1657x1658x1373mm	NET WT : 82 Kgs.	99000
43018	CIE-7015C	INCLINE BENCH PRESS	DIM.(LxWxH) : 1632x1658x1373mm	NET WT : 106 Kgs.	131300
43019	CIE-7017C	WEIGHT PLATE TREE	DIM.(LxWxH) : 950x610x1220mm	NET WT : 26 Kgs	39400
<p>FE Series : Frame : 72.8x141.7mm Thickness of Steel : 3.0mm Pulley : 114mm dia. Cable : 5.0mm Wt.Plates - Material : 19mm Full Steel, Each Plate wt.10 lbs, Total Plate Wt. : 235 lbs</p> <p>IE Series : Frame : 100x50mm(Racktrack Tubing) Thickness of Steel : 2.5-2.75mm Seat : 60mm thickness Cable : 5.0mm LOOS USA Wt.Plates - Material : Cast Iron, Each Plate Wt.15 lbs</p>					

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
NON WEIGHT MACHINES					
CS Series Silver Frame , Black Cushion					
44268	CS-8	SEATED ARM CURL	DIM.(LxWxH) : 1020x710x820mm	NET WT : 24 Kgs.[IFSPC]	24200
44269	CS-10	AB BACK MACHINE	DIM.(LxWxH) : 1520x1000x1060mm	NET WT : 38 Kgs.[IFABM]	42900
44270	CS-11	LEG EXTENSION AND CURL	DIM.(LxWxH) : 1210X1040X1040mm	NET WT : 51 Kgs.[IFLEGM]	53700
44271	CS-13	SMITH MACHINE W/LINEAR BEARING	DIM.(LxWxH) : 1960x1720x2090mm	NET WT : 133 Kgs.[FHC+IFHCS]	90600
44272	CS-14	LEG PRESS HACK SQUAT	DIM.(LxWxH) : 2500x800x1500mm	NET WT : 145 Kgs.[IFLPHS]	192700
BENCHES					
CS Series Silver Frame , Black Cushion					
44273	CS-1	FLAT BENCH	DIM.(LxWxH) : 1300x520x490mm	NET WT : 20 Kgs.[IFFB]	21800
44274	CS-2	HYPHER EXTENSION BENCH	DIM.(LxWxH) : 1300x520x490mm	NET WT : 23 Kgs.[IF45]	27700
44275	CS-3	MULTI PURPOSE BENCH	DIM.(LxWxH) : 1580x650x510mm	NET WT. : 33 Kgs. [IFFID]	38500
44277	CS-4	OLYMPIC FLAT BENCH PRESS	DIM.(LxWxH) : 1520x1310x1260mm	NET WT : 60 Kgs.[IFOFB]	60900
44278	CS-5	OLYMPIC INCLINE BENCH PRESS	DIM.(LxWxH) : 1560x1310x1190mm	NET WT : 68 Kgs.[IFOIB]	68600
44279	CS-6	OLYMPIC DECLINE BENCH PRESS	DIM.(LxWxH) : 1900x1310x1150mm	NET WT : 70 Kgs.[IFODB]	70200
44265	CS-7	OLYMPIC BENCH	DIM.(LxWxH) : 1430x1260x1460mm	NET WT : 62 Kgs.[IFOB]	55700
44266	CS-16	ADJUSTABLE ABDOMINAL BENCH	DIM.(LxWxH) : 1680x560x1140mm	NET WT : 24 Kgs.[IFAAB]	27300
RACKS					
CS Series Silver Frame , Black Cushion					
44280	CS-15	BEAUTY BELL RACK	DIM.(LxWxH) : 1370x1470x860mm	NET WT : 47 Kgs.[IFDB4+IFDB4A]	35200
ADJUSTABLE DUMBBELL					
28927	YL-03L+BTL	2*32 Kgs. DUMBBELL+ 1 RACK		NET WT : 74 Kgs.	57800
28937	YL-02L+BTL	2*20 Kgs. DUMBBELL+ 1 RACK		NET WT : 50 Kgs.	44600
28936	YL-03L	ADJUSTABLE DUMBBELL	WT. RANGE : 2~32 Kgs.	NET WT : 32 Kgs.	26400
28935	YL-02L	ADJUSTABLE DUMBBELL	WT. RANGE : 2~20 Kgs.	NET WT : 20 Kgs.	19800

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
WEIGHT MACHINES-SINGLE STATION					
GALAXY-I Series					
50759	XPC-6404	CROSSFIT	W/2x100 Kgs., DIM.(LxWxH) : 4200x3200 x2800mm NET WT : 850 Kgs.		638000
53250	XPC-1801	DUAL CABLE CROSS	W/2x68 Kgs., DIM.(LxWxH) MAX : 1380x1600 x2410mm NET WT : 350 Kgs. MIN : 1840x1080 x1870mm		473000
53251	XPC-0950A	FUNCTIONAL MACHINE (2 in 1) (SMITH + FUNCTIONAL TRAINER)	W/2x68 Kgs., DIM.(LxWxH) MAX : 2351x1367x2159mm NET WT : 260 Kgs.		462000
50753	XPC-1904	DIP / CHIN ASSIST	W/77 Kgs., DIM.(LxWxH) : 1178x1576x2325mm NET WT : 205 Kgs.		286000
50758	XPC-1939	AB/ BACK EXTENSION	W/68 Kgs., DIM.(LxWxH) : 1371x1085x1583mm NET WT : 229 Kgs.		264000
53764	XPTT-0212	CROSS OVERPULLEY - COMBO	W/2x68 Kgs., DIM.(LxWxH) MAX : 4091x1063x2345mm NET WT : 293 Kgs.		264000
GALAXY-II Series					
53277	XPC-2012	CROSSOVER/ DELTS	W/54 Kgs., DIM.(LxWxH) : 1530x710x1567mm	NET WT : 179 Kgs.	253000
53275	XPC-2014	DIP/ CHIN ASSIT	W/77 Kgs., DIM.(LxWxH) : 1238x1187x2236mm	NET WT : 228 Kgs.	308000
53276	XPC-2016	HIP ABDUCTION/ ABDUCTION	W/68 Kgs., DIM.(LxWxH) : 1617x677x1500mm	NET WT : 190 Kgs.	253000
53283	XPC-2021	CHEST/ SHOULDER PRESS	W/68 Kgs., DIM.(LxWxH) : 1984x1350x1676mm	NET WT : 248 Kgs.	277200
53278	XPC-2025	LEG EXTENSION/ LEG CURL	W/132 Kgs., DIM.(LxWxH) : 1407x1249x1496mm	NET WT : 251 Kgs.	286000
53279	XPC-2027	BICEPS CURL/ TRICEPS EXT.	W/55 Kgs., DIM.(LxWxH) : 1239x1305x1580mm	NET WT : 182 Kgs.	242000
53280	XPC-2029	ABDOMINAL/ BACK EXTENSION	W/118 Kgs., DIM.(LxWxH) : 1314x1199x1580mm	NET WT : 225 Kgs.	297000
53284	XPC-2031	PEC FLY/ REAR DELT	W/68 Kgs., DIM.(LxWxH) : 1451x1463x1985mm	NET WT : 193 Kgs.	253000
53285	XPC-2032	PULL DOWN/ SEATED ROW	W/77 Kgs., DIM.(LxWxH) : 1808x1213x2280mm	NET WT : 233 Kgs.	277200
53286	XPC-2038	TORSO ROTATION	W/77 Kgs., DIM.(LxWxH) : 1538x1187x2010mm	NET WT : 248 Kgs.	338800
NON WEIGHT MACHINES					
GALAXY Series					
50761	XPTT-0204	FLAT TO INCLINE UTILITY BENCH	DIM.(LxWxH) : 1362x447x415mm	NET WT : 49 Kgs.	40500
50762	XPTT-0205	MULTI PURPOSE BENCH	DIM.(LxWxH) : 1202x767x1062mm	NET WT : 37 Kgs.	22000
50760	XPTT-0201	FLAT BENCH	DIM.(LxWxH) : 1411x647x402mm	NET WT : 25 Kgs.	18700
50776	XEF-0516	LEG PRESS	DIM.(LxWxH) : 2421x1680x1572mm	NET WT : 229 Kgs.	297000
50766	XPTT-0222	SMITH MACHINE	DIM.(LxWxH) : 2162x1573x2387mm	NET WT : 210 Kgs.	231000
50765	XPTT-0218	ABDOMINAL CRUNCH BOARD	DIM.(LxWxH) : 1562x712x1004mm	NET WT : 54 Kgs.	197800
GALAXY I, II Series : Frame : 50x100mm Thickness of Steel : 2.5mm Cable : 6.0mm (Dia.) Wt.Plates - Material : Cast Iron Seat : Material : High Density P.U.					

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
NON WEIGHT MACHINES					
GALAXY Series					
50775	XEf-0511	OLYMPIC DECLINE BENCH	DIM.(LxWxH) : 1920x1630x1135mm	NET WT : 105 Kgs.	98800
50770	XEf-0224	ADJUSTABLE ROMAN CHAIR	DIM.(LxWxH) : 1597x938x1084mm	NET WT : 71 Kgs.	92200
50774	XEf-0510	OLYMPIC INCLINE BENCH	DIM.(LxWxH) : 1800x1710x1417mm	NET WT : 79 Kgs.	85400
50773	XEf-0509	OLYMPIC FLAT BENCH	DIM.(LxWxH) : 1710x1635x1296mm	NET WT : 79 Kgs.	82500
50769	XPSSB	GLUTE (AIR ROLL)	DIM.(LxWxH) : 1597x938x1084mm	NET WT : 71 Kgs.	79000
50778	XEf-0528	ADJ. FLAT/ DECLINE BENCH	DIM.(LxWxH) : 1465x878x365mm	NET WT : 46 Kgs.	75900
50771	XEf-0229	SISSY SQUAT BENCH	DIM.(LxWxH) : 1251x746x413mm	NET WT : 30 Kgs.	65800
50772	XEf-0506	PREACHER CURL	DIM.(LxWxH) : 1047x752x1019mm	NET WT : 48 Kgs.	57900
50777	XEf-0520	AB BACK MACHINE	DIM.(LxWxH) : 1354x732x932mm	NET WT : 50 Kgs.	53900
50779	XEf-0567	2 TIER DUMBBELL RACK	DIM.(LxWxH) : 1664x648x918mm	NET WT : 80 Kgs.	50400
DUAL STATION					
INVASION Series					
51500	XTQ-04	PEC DEC/ REAR DELT	DIM.(LxWxH) : 1490x1340x2080mm	NET WT : 252.5 Kgs.	145200
51501	XTQ-09	SEATED HORIZONTAL PULLEY	DIM.(LxWxH) : 1760x1080x1630mm	NET WT : 208 Kgs.	145200
51502	XTQ-24	DIP/ CHIN ASSIST	DIM.(LxWxH) : 1570x1230x2250mm	NET WT : 310 Kgs.	145200
51509	XTQ-25	SEATED LEG CURL/ EXTENSION	DIM.(LxWxH) : 1720x1250x1630mm	NET WT : 272 Kgs.	145200
51503	XTQ-26	BICEPS/ TRICEPS	DIM.(LxWxH) : 1520x1190x1630mm	NET WT : 210 Kgs.	145200
51506	XTQ-29	SHOULDER/ SEATED LEG PRESS	DIM.(LxWxH) : 1500x1970x1630mm	NET WT : 255 Kgs.	145200
51507	XTQ-30	LAT PULL/ SEATED ROWING	DIM.(LxWxH) : 1570x1230x2350mm	NET WT : 267 Kgs.	145200
51508	XTQ-31	TOTAL ABDOMINAL/ BACK EXT.	DIM.(LxWxH) : 1430x1170x1630mm	NET WT : 228 Kgs.	145200
PLATE LOADED					
ASSAULT Series					
52000	XTN-05	SEATED CHEST PRESS	DIM.(LxWxH) : 2150x1690x2030mm	NET WT : 210 Kgs.	153800
52001	XTN-21	SHOULDER PRESS	DIM.(LxWxH) : 1860x1460x1920mm	NET WT : 200 Kgs.	129600
52002	XTN-25	LOW ROW	DIM.(LxWxH) : 1230x1690x1920mm	NET WT : 208 Kgs.	129600
52003	XTN-39	90 DEGREE LEG PRESS	DIM.(LxWxH) : 1860x1460x1920mm	NET WT : 200 Kgs.	129600
52004	XTN-50	DUMBBELL RACK 10	DIM.(LxWxH) : 2095x520x790mm	NET WT : 65 Kgs.	61600
<p>GALAXY I, II Series : Frame : 50x100mm Thickness of Steel : 3.0mm Cable : 6.0mm (Dia.) Wt.Plate - Material : Cast Iron Seat : Material : High Density P.U.</p> <p>INVASION Series : Frame : 50x100mm Thickness of Steel : 3.0mm Cable : 6.0mm (Dia.) Wt.Plate - Material : Cast Iron Seat : Material : P.U.Leather</p> <p>ASSAULT Series : Frame : 50x100mm Thickness of Steel : 3.0mm Seat : Material : High Density P.U.</p>					



CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
PLATE LOADED 					
ASSAULT Series					
52008	XTN-91	45 DEGREE LEG PRESS	DIM.(LxWxH) : 2400x1610x1480mm	NET WT : 260 Kgs.	173800
52006	XTN-71	V SQUAT	DIM.(LxWxH) : 2200x1290x1840mm	NET WT : 220 Kgs.	158200
52005	XTN-56	INCLINE PEC FLY	DIM.(LxWxH) : 1630x1640x1100mm	NET WT : 115 Kgs.	116600
52009	XTN-115	DELT MACHNE	DIM.(LxWxH) : 1700x930x1680mm	NET WT : 113 Kgs.	114400
52009	XTN-92	ABDOMINAL (SISSY)	DIM.(LxWxH) : 1110x570x500mm	NET WT : 65 Kgs.	31900
SINGLE STATION 					
COBRA Series					
52250	XE-5001	PRONE LEG CURL	W/94 Kgs., DIM.(LxWxH) : 1800x970x1500mm	NET WT : 205 Kgs.	103200
52253	XE-5006	SHOULDER PRESS	W/109 Kgs., DIM.(LxWxH) : 1900x1350x1500mm	NET WT : 231 Kgs.	103200
52254	XE-5007	PEARL DELT/ PEC FLY	W/109 Kgs., DIM.(LxWxH) : 1240x940x2110mm	NET WT : 227 Kgs.	103200
52255	XE-5008	VERTICAL PRESS	W/109 Kgs., DIM.(LxWxH) : 1400x1350x1500mm	NET WT : 214 Kgs.	103200
52256	XE-5009	DIP/ CHIN ASSIST	W/109 Kgs., DIM.(LxWxH) : 1550x1370x2360mm	NET WT : 289 Kgs.	103200
52257	XE-5023	SEATED LEG CURL	W/109 Kgs., DIM.(LxWxH) : 1580x1050x1500mm	NET WT : 220 Kgs.	103200
52258	XE-5030	BICEP CURL	W/94 Kgs., DIM.(LxWxH) : 1500x130x1500mm	NET WT : 194 Kgs.	103200
52260	XE-5035	PULL DOWN	W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm	NET WT : 248 Kgs.	103200
SINGLE STATION 					
FUSION Series					
52503	XE-3006	SHOULDER PRESS	W/109 Kgs., DIM.(LxWxH) : 1850x1220x1320mm	NET WT : 239 Kgs.	92200
52505	XE-3008	VERTICAL PRESS	W/109 Kgs., DIM.(LxWxH) : 1320x1300x1350mm	NET WT : 214 Kgs.	92200
52506	XE-3009	DIP/ CHIN ASSIST	W/88 Kgs., DIM.(LxWxH) : 1550x1370x2360mm	NET WT : 289 Kgs.	92200
52507	XE-3013	INCLINE PRESS	W/109 Kgs., DIM.(LxWxH) : 2060x1350x1620mm	NET WT : 215 Kgs.	92200
52508	XE-3023	SEATED LEG CURL	W/109 Kgs., DIM.(LxWxH) : 1650x940x1350mm	NET WT : 220 Kgs.	92200
52509	XE-3030	BICEP CURL	W/64 Kgs., DIM.(LxWxH) : 1190x890x1620mm	NET WT : 158 Kgs.	92200
52513	XE-3034	VERTICAL ROW	W/109 Kgs., DIM.(LxWxH) : 1550x1370x1600mm	NET WT : 230 Kgs.	92200
52511	XE-3035	PULL DOWN	W/109 Kgs., DIM.(LxWxH) : 1850x1090x2340mm	NET WT : 248 Kgs.	92200

CODE	MODEL	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
SINGLE STATION  XTB Series					
51780	XTB-07	PEC DEC/ REAR DELT	DIM.(LxWxH) : 1490x1340x2080mm	NET WT : 252.5 Kgs.	98800
51781	XTB-09	DIP/ CHIN ASSIST	DIM.(LxWxH) : 1570x1230x2250mm	NET WT : 310 Kgs.	98800
51756	XTB-29	BICEPS/ TRICEPS	W/100 Kgs., DIM.(LxWxH) : 1190x950x1630mm	NET WT : 222 Kgs.	98800
51778	XTB-91	HORIZONTAL/ SEATED LEG CURL	W/100 Kgs., DIM.(LxWxH) : 1700x930x1620mm	NET WT : 220 Kgs.	98800
51752	XTB-14	AB/ BACK (CHEST / SHOULDER)	W/100 Kgs., DIM.(LxWxH) : 1290x1010x1620mm	NET WT : 222 Kgs.	98800
51786	XTB-34	VERTICAL ROW	W/100 Kgs., DIM.(LxWxH) : 1600x1190x1620mm	NET WT : 198 Kgs.	92200
51789	XTW-B002	INCLINE PRESS	W/100 Kgs., DIM.(LxWxH) : 2200x1450x1620mm	NET WT : 224 Kgs.	79000
51790	XTW-B025	GLUTE ISOLATOR	W/100 Kgs., DIM.(LxWxH) : 1180x890x1625mm	NET WT : 189 Kgs.	79000
NON WEIGHT MACHINES 					
52764	XE-3057	HACK SQUAT	DIM.(LxWxH) : 2240x1260x1260mm	NET WT : 196 Kgs.	123000
52755	XE-3042	OLYMPIC INCLINE BENCH	DIM.(LxWxH) : 1960x1700x1400mm	NET WT : 127 Kgs.	59200
52753	XE-3039	SUPER BENCH	DIM.(LxWxH) : 1380x680x690mm	NET WT : 43 Kgs.	35000
52762	XE-3054	VERTICAL PLATE TREE	DIM.(LxWxH) : 610x580x1240mm	NET WT : 40 Kgs.	28400
SINGLE STATION  CHALLENGER Series					
51007	XS8-007	TRICEP PRESS	DIM.(LxWxH) : 1515x920x1610mm	NET WT : 213 Kgs.	79000
51008	XS8-008	ASSISTED CHIN / DIP	DIM.(LxWxH) : 1460x1330x2365mm	NET WT : 298 Kgs.	79000
FREWEIGHT 					
51053	XTZ-5055	INCLINE PRESS	DIM.(LxWxH) : 1735x960x1340mm	NET WT : 135 Kgs.	54800
51045	XTZ-5026	ADJUSTABLE HIP EXTENSION	DIM.(LxWxH) : 1620x375x1185mm	NET WT : 66 Kgs.	43800
51048	XTZ-5040	DEAD LIFT/ SHRUG	DIM.(LxWxH) : 1890x1775x800mm	NET WT : 96 Kgs.	43800
NON WEIGHT MACHINES 					
51025	XMSH-025	INCLINE BENCH (LUXURY)	DIM.(LxWxH) : 1640x1885x1395mm	NET WT : 101 Kgs.	43800
51030	XMSH-032	AB MACHINE	DIM.(LxWxH) : 2040x980x1045mm	NET WT : 53 Kgs.	35000
51055	XH-033	DRAW MUSCLE MACHINE	DIM.(LxWxH) : 1320x490x970mm	NET WT : 28 Kgs.	28400
51054	XH-032	ABDOMINAL MACHINE	DIM.(LxWxH) : 1770x830x1030mm	NET WT : 50 Kgs.	28400
51056	XH-041	WEIGHT PLATE TREE	DIM.(LxWxH) : 780x780x1100mm	NET WT : 29 Kgs.	17400
51057	XLD-9051	OLYMPIC SEATED BENCH	DIM.(LxWxH) : 1540x1800x1800mm	NET WT : 130 Kgs.	32800
51058	XTZ-6052	UTILITY BENCH	DIM.(LxWxH) : 1240x633x930mm	NET WT : 18 Kgs.	19600
51058	XTZ-6028	PLATE TREE	DIM.(LxWxH) : 860x860x980mm	NET WT : 26 Kgs.	17400
XTB Series : Frame : 50x100mm Thickness of Steel : 2.5mm Cable : 6.0mm Wt.Plates - Material : Cast Iron Seat : Material : High Density P.U. CHALLENGER Series : Frame : 50x120mm Thickness of Steel : 3.0mm Cable : 5.8mm Wt.Plates - Material : Cast Iron Seat : Material : P.U.Leather					

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
------	-------	-------------	----------------	-----------

Home

TREADMILL



adidas AVUS-10521	T19x	4.0 HP (8 HP PEAK) DC MOTOR, SPEED: 0.5~20 KPH, BELT : 20x60”(510x1520mm), 15 POWER INCLINE		182400
LEVELS, 10.1" LCD BACKLIT TFT TOUCH SCREEN, NRG TECH CUSHION + 8 ELASTOMERS, 27 PRE-SET, 10 USER PROGRAMMES, 3 TARGET, 3 HRC,3 VIRTUAL RUNS, HAND PULSE, WIRELESS PULSE RECEIVER, USB, MP3FAN, SIGNATURE ADIDAS ULTRA SERIES RED LED LIGHTING SURROUNDS THE MOTOR HOOD, 5W SPEAKER DIM :(LxWxH) 1970x880x1580mm, MAX. USER WT. : 150 Kgs. NET WT : 98 Kgs.				
adidas AVUS-10621	T23	2.5 HP (4.5 HP PEAK) DC MOTOR, SPEED: 1.0~20 KPH, BELT : 20x59”(510x1500mm), 15 POWER INCLINE		160400
LEVELS, LCD BACKLIGHT WHITE AND RED LED, WIRELESS PULSE RECEIVER, NRG CUSHIONING TECHNOLOGY, 24 PRE-SET PROGRAMMES BODYFAT 3 USER DEFINED PROGRAMMES, INTEGRATED USB CHARGING PORT, DIM :(LxWxH) 1925x815x1385mm, MAX. USER WT. : 150 Kgs. NET WT : 109 Kgs.				
adidas AVUS-10421	T19	3.5 HP (7 HP PEAK) DC MOTOR, SPEED: 0.5~20 KPH, BELT : 20x55”(510x1400mm), 15 POWER INCLINE		127400
LEVELS, 8" LCD,1 BLACK LCD WITH RED&WHITE DISPLAY+2 WHITE LED, 24 PRE-SET, 3 USER, BODYFAT, 3 HRC, SUSPENSION SYSTEM, HAND PULSE SENSOR, WIRELESS PULSE RECEIVER, SPEAKERS, USB PORT, FAN, Mp3, DIM :(LxWxH) 1850x865x1535mm, MAX. USER WT. : 150 Kgs. NET WT : 96 Kgs.				
adidas AVUS-10321	T19i	2.25 HP (4.5 HP PEAK) DC MOTOR, SPEED: 1.0~18 KPH, BELT : 18x55”(460x1400mm), 15 POWER INCLINE		96600
LEVELS, 5 LED WINDOWS + 1 MATRIX, 24 PRE-SET WORKOUTS, 3 USER-DEFINED & 3 TARGET PROGRAMS, SUSPENSION SYSTEM, SPEAKERS, FAN,MP3, CONNECTIVITY, USB - CHARGING, EARPHONE JACK, IPOD CONNECTIVITY (VIA WIRE) DIM :(LxWxH) 1795x810x1470 mm, MAX. USER WT. : 120 Kgs. NET WT : 85.5 Kgs				
Reebok RVAR-10621SL	A6.0-Silver 	2.5 HP (5 HP PEAK) DC MOTOR, SPEED: 0.5~20 KPH, BELT : 293x50 - 1.8mm , 15 POWER INCLINE		94400
36 WINDOW LED + PROFILE CHART, 36 PRE-SET + BODYFAT & FITNESS TEST,3 USER & 3 TARGET SOFT DROP HYDRAULIC FOLDING, USB CHARGING PORT,MP3 INPUT WITH 3W SPEAKERS COOLING FAN, DIM :(LxWxH) 11760x842x1475mm, MAX. USER WT. : 150 Kgs. NET WT : 93.5 Kgs.				
Reebok RVAR-10221SL	A2.0-Silver	1.5 HP (2.5 HP PEAK) DC MOTOR, SPEED: 0.5~13 KPH, BELT :17x108”(450x2760mm), 2 MANUAL INCLINE,		57000
3 WINDOW LED, SOFT DROP HYDRAULIC FOLDING,36 PRE-SET,3 USER & 3 TARGET, HAND PULSE, DIM :(LxWxH) 1681x758x1400mm, MAX. USER WT. : 120 Kgs. NET WT : 57 Kgs.				

Home

ROWING MACHINE



adidas AVUS 10450BT	R21 	SELF-GENERATING POWER, A WATER-BASED RESISTANCE SYSTEM, SPEAKERS WITH BLUETOOTH,		101000
7 LEVEL MANUAL RESISTANCE, ADJ. LCD SCREEN, 9 FEATURES, 7 FUNCTIONS, 4 PROGRAMS, WIRELESS PULSE RECEIVER, DIM :(LxWxH) 2150x570x1060mm, MAX. USER WT.: 150 Kgs., NET WT : 51 Kgs.				

CODE	MODEL	DESCRIPTION	HSN : 95069190	PRICE (₹)
------	-------	-------------	----------------	-----------

Home

ELLIPTICAL CROSSTRAINER



Reebok RVAR-10612SLBT A6.0FD 		FRONT DRIVE CROSS TRAINER,SINGLE LCD 131x67mm, 5.5" BACKLIT LCD,32 ELECTRONIC RESISTANCE 9 Kgs. FLYWHEEL, 108cms STRIDE ,12 PRE-SET + 3 TARGET, HRC, RECOVERY & USER, DUAL ACTION & FIXED HANDLEBARS, DIM : (LxWxH) 1860x670x1770mm, MAX. USER WT.: 150 Kgs. , NET WT : 63.7 Kgs.		103200
adidas AVUS 10411BT X21		SELF-GENERATING POWER, REAR-DRIVE 10 KG /22 LB FLYWHEEL, STRIDE :380mm(15") , 24 MOTORISED RESISTANCE, 20PROGRAMMS, 10 FEATURES, 8 FUNCTIONS, USER PROFILE(U1-U4) MANUAL, SPEAKERS, MP3, HAND PULSE, DIM : (LxWxH) 1630x635x1605mm, MAX. USER WT.: 150 Kgs. , NET WT : 63 Kgs.		87800
Reebok RVAR-10611SLBT A6.0 		REAR DRIVE CROSS TRAINER, SINGLE LCD 131 x 67MM, 5.5" LCD, 32 ELECTRONIC RESISTANCE 38.1 cm CRANK, 15" STRIDE ,12 PRE-SET WORKOUTS + 3 TARGET PROGRAMS, HRC, RECOVERY & USER USB, HAND PULSE, DIM : (LxWxH) 1470x620x1700mm, MAX. USER WT.: 120 Kgs. , NET WT : 48 Kgs.		65300

Home

UPRIGHT BIKE



adidas AVUS-10501 C-21x		SELF GENERATOR, C-21x EXERCISE BIKE COMES 16 KG /35 LB FLYWHEEL, SEAT HEIGHT 30.3" ~ 36.2" SIGNATURE ADIDAS ULTRA SERIES RED LED LIGHTING,8 LEVELS OF ELECTRONIC RESISTANCE, DIM : (LxWxH) 1510x569x1370mm, MAX. USER WT.: 150 Kgs. , NET WEIGHT : 55.8 Kgs.		92000
adidas AVUS-10401 C-21		SELF GENERATOR, C-21 EXERCISE BIKE COMES 9 KG / 20 LB FLYWHEEL, SPEAKERS WITH BLUETOOTH CONNECTIVITY, SIGNATURE ADIDAS ULTRA SERIES RED LED LIGHTING, 24 LEVELS OF ELECTRONIC RESISTANCE, DIM : (LxWxH) 1170x300x660mm, MAX. USER WT.: 150 Kgs. , NET WEIGHT : 42.5 Kgs.		65800
Reebok RVAR-10601SLBT A6.0 		FITTED WITH A 9 KG FLYWHEEL,5.5" LCD SCREEN, 3 PIECES / 6.5" CRANK,32 LEVEL RESISTANCE 1 MANUAL, 1TARGET TIME, 1 TARGET DISTANCE, 1 TARGET CALORIES, HAND PULSE SENSOR DIM : (LxWxH) 1000x520x1300mm, MAX. USER WT.: 120 Kgs. , NET WEIGHT : 33.5 Kgs.		48200
Reebok RVAR-10401SL A4.0		FITTED WITH 6 KG FLYWHEEL,5.5" LCD SCREEN, 3 PIECES / 6.5" CRANK, 8 LEVEL RESISTANCE 1 MANUAL, 1TARGET TIME, 1 TARGET DISTANCE, 1 TARGET CALORIES, HAND PULSE SENSOR DIM : (LxWxH) 1000x500x1300mm, MAX. USER WT.: 120 Kgs. , NET WEIGHT : 30.3 Kgs.		37200

CODE	ITEM	DESCRIPTION	HSN : 95069190	PRICE (₹)
GYM				
Home				
adidas ADBE 10460	HOME GYM	ESSENTIAL HOME GYM WITH 44.5 KGS. VINYL COVERED CEMENT WT. STACKS, BUTTERFLY, PEC DEC, CHEST PRESS, LAT PULL DOWN, LOW ROW, ARM CURL, LEG EXT., BACK LEG CURL, PREACHER CURL FUNCTIONS, DIM : (LxWxH) 1425x980x2035mm, MAX. USER WT.: 120 Kgs. , NET WT : 41 Kgs		36300
RIG				
Home				
adidas ADBE 10500	HOME RIG	LOW AND HIGH PULLEY STATIONS, PLATE LOADED DESIGN, SIX PLATE STORAGE RACKS, ADJ.BAR HOLDERS & CATCHES, IDEAL FOR COMPOUND LIFTING, LAT BAR, STRAIGHT BAR, HANDLE & ANKLE ATTACHMENTS , DIM : (LxWxH) 1500x1560x2100mm, MAX. USER WT.: 160 Kgs. , NET WT : 76 Kgs.		59200
adidas ADBE 10360	SPORTS RIG	TWIN PULLEY STATIONS, 17 PIN-ADJ.CABLE HEIGHTS, BUILT-IN PULL-UP BAR, FLOOR LEVEL ROW STATION, PLATE LOADED (COMPATIBLE WITH 25mm PLATES) INCLUDES HANDLES, SHORT BAR AND ANKLE ATTACHMENTS, DIM : (LxWxH) 570x1800x2130mm, MAX. USER WT.: 120 Kgs. , NET WT : 65 Kgs.		54800
BENCHES				
Home				
adidas ADBE 10229	PERFORMANCE POWER TOWER	DIM.(LxWxH) : 1210x1150x2130mm	NET WT : 39.5 Kgs.	27500
adidas ADBE 10228	PERFORMANCE TRAINING BENCH	DIM.(LxWxH) : 1810x600x500mm	NET WT : 26 Kgs.	24000
adidas ADBE 10225	PERFORMANCE UTILITY BENCH	DIM.(LxWxH) : 1210x490x500mm	NET WT : 16 Kgs.	15800
adidas ADBE 10220	PERFORMANCE AB BENCH	DIM.(LxWxH) : 1130x460x460mm	NET WT : 11.5 Kgs.	13400
adidas ADBE 10222	PERFORMANCE FLAT BENCH	DIM.(LxWxH) : 1190x485x420mm	NET WT : 14 Kgs.	13000
adidas ADBE 10452	ESSENTIAL WORKOUT BENCH	DIM.(LxWxH) : 1530x630x1140mm	NET WT : 18.5 Kgs.	12300
adidas ADBE 10436	ESSENTIAL UTILITY BENCH	DIM.(LxWxH) : 390x640x1190mm	NET WT : 12.5 Kgs.	11900
adidas ADBE 10437	ESSENTIAL FLAT BENCH	DIM.(LxWxH) : 480x460x250mm	NET WT : 8.5 Kgs.	7700
Promotional Price valid only till stock lasts. Kindly check with Sales Team before placing order.				



DELHI | GURUGRAM | JALANDHAR | MUMBAI

Cosco (India) Limited

2/8 Roop Nagar, Delhi-110007

Tel. : +91 11 41849999, 23843000 | Fax: +91 11 23846000

E-mail: mail@cosco.in



cosco.in